
HOT TUBS



COMPONENTS



COLOURS



Cabinet colour **Driftwood Grey**

Acrylic colour **Sterling Silver**

Stainless Steel support frame with lifetime guarantee.

High density spray foam insulation applied to both the shell and cabinet of the spa.

Maintenance free poly-wood cabinet made from high grade UV and heat resistant plastic (up to 74 C), with real wood like appearance

Premium quality Italian Hydromassage Pumps Integrated, thermoformed ABS floor tray reinforced with composites

LED COLOURS

Chromotherapy with multi-colour changing LEDs, totally enhancing the bathing experience and aiding the immersive relaxation whilst using the spa

















COVERS


Superb quality insulation hot tub covers, made with the highest class marine grade vinyl. Tapered design to aide water runoff and to prevent centre sagging, also equipped with four child safe lockable straps.





JETS







TwirlSteady Steam / Stationary / Eyeballl



Rifled
Enhanced / Steady Steam







CHARACTERISTICS

Dimensions (L x W x H) 2100 x 1600 x 820 mm

Number of Seats/Recliners 1 Seat / 2 Recliners

Net weight/Water volume 250kg / 720L approx.

Frame Stainless steel

Side cover PS panel, UV resistant sandy finish

Insulation Polyurethane 10mm
Drains 1pcs at the bottom

Power Requirement 1 x 16A 220-240V/50Hz

Control Box Balboa (BP 200XU)

Control Panel TP 500

Total Number of Water Jets 29 pcs.

Heater 2000 W

Pumps 1 x 2hp double speed

Paper Core Filter 1pc 50 SQF

Water Sanitization Ozone (Balboa)

LED Lights 12 pcs. LED

Headrests 3 pcs.

Thermo cover Yes - 120mm/90mm











CHARACTERISTICS

Dimensions (L x W x H) 2000 x 2000 x 860 mm

Number of Seats/Recliners 4 Seats / 1 Recliner

Net weight/Water volume 290kg / 1000L approx.

Frame Stainless steel

Side cover PS panel, UV resistant sandy finish

Insulation Polyurethane 10mm

Drains lpcs at the bottom

Power Requirement 1 x 16A 220-240V/50Hz

Control Box Balboa (BP 200XU)

Control Panel TP 500

Total Number of Water Jets 30 pcs

Heater 2000 W

Pumps 1 x 3hp two speed

Paper Core Filter 1pc 50 SQF

Water Sanitization Ozone (Balboa)

LED Lights 12 pcs LED

Headrests 3 pcs

Thermo cover Yes 120mm/90mm











CHARACTERISTICS

Dimensions (L x W x H) 2000 x 2000 x 860 mm

Number of Seats/Recliners 3 Seats / 2 Recliner

Net weight/Water volume 290kg / 1000L approx.

Frame Stainless steel

Side cover PS panel, UV resistant sandy finish

Insulation Polyurethane 10mm

Drains lpcs at the bottom

Power Requirement 1 x 16A 220-240V/50Hz

Control Box Balboa (BP 200XU)

Control Panel TP 500

Total Number of Water Jets 32 pcs

Heater 2000 W

Pumps 1 x 3hp two speed

Paper Core Filter 1pc 50 SQF

Water Sanitization Ozone (Balboa)

LED Lights 12 pcs LED

Headrests 3 pcs

Thermo cover Yes 120mm/90mm











CHARACTERISTICS

Dimensions (L x W x H) 2200 x 2200 x 920 mm

Number of Seats/Recliners 3 Seats / 2 Recliner

Net weight/Water volume 400kg / 1400L approx.

Frame Stainless steel

Side cover PS panel, UV resistant sandy finish

Insulation Polyurethane 10mm

Drains 1pcs at the bottom

Power Requirement 1 x 32A or 3 x 16A 220-240V/50Hz

Control Box Gecko IN.YE3

Control Panel IN.K300

Total Number of Water Jets 47pcs

Heater 3000 W

Pumps 1x2hp two speed/1x2hp one speed

Paper Core Filter 1pc 50 SQF

Water Sanitization Ozone (Balboa)

LED Lights 16 pcs LED

Headrests 3 pcs

Thermo cover Yes 120mm/90mm







CHARACTERISTICS

 $\begin{array}{ll} \mbox{Dimensions} \mbox{ (L x W x H)} & 2350 \mbox{ x } 2750 \mbox{ x } 920 \mbox{ mm} \\ \mbox{Number of Seats/Recliners} & 6/7 \mbox{ Seats / No Recliner} \\ \mbox{Net weight/Water volume L} & 300 \mbox{kg / 2300L approx.} \end{array}$

Frame Stainless steel

Insulation Polyurethane 10mm

Drains 2 pcs at the bottom

Total Number of Water Jets 30 pcs

OPTIONAL

Filtration Compact Kit 2

Balance Tank 1000L

Thermo Cover Optional
Synthetic Side Panels Optional
Led Lights Optional







CHARACTERISTICS

 $\begin{array}{ll} \mbox{Dimensions} \mbox{ (L x W x H)} & 2300 \mbox{ x } 2300 \mbox{ x } 920 \mbox{ mm} \\ \mbox{Number of Seats/Recliners} & 5 \mbox{ Seats / No Recliner} \\ \mbox{Net weight/Water volume L} & 300 \mbox{ kg / 960L approx.} \end{array}$

Frame Stainless steel

Insulation Polyurethane 10mm

Drains 2 pcs at the bottom


Total Number of Water Jets 18 pc

OPTIONAL

Filtration Compact Kit #1

Balance Tank 1000L

Thermo Cover Optional
Synthetic Side Panels Optional
Led Lights Optional





Compact filtration for Spas





CHARACTERISTICS

Dimensions (L x W x H) Dimensions (L x W x H) 3200 x 2300 x 970 mm 3200 x 2300 x 970 mm Net weight (kg) W/O filtration sand 12 Seats / 0 Recliner Net weight (kg) W/O filtration sand 12 Seats / O Recliner Sand filter 450kg / 2800L approx. Sand filter 450kg / 2800L approx. Filtration pump Stainless steel Filtration pump Stainless steel PS panel, UV resistant sandy finish PS panel, UV resistant sandy finish Massage pump Massage pump

Blower Polyurethane 10mm Blower Polyurethane 10mm

Electric heater 1pcs at the bottom Electric heater 1pcs at the bottom

Filtration sand 1x 32A or 3 x 16A 220-240V/50Hz Filtration sand 1x 32A or 3 x 16A 220-240V/50Hz

 Voltage
 Gecko IN.YE3
 Voltage
 Gecko IN.YE3

 Total power requirements
 IN.K300
 Total power requirements
 IN.K300



PE balance tank 1000 lt. equipped with water level regulation system and PVC fittings

Dimensions (L x W x H) 1200x1000x1200 mm

Net weight (Empty) 70 kg









CHARACTERISTICS

Dimensions (L x W x H) 3200 x 2300 x 970 mm

Number of Seats/Recliners 12 Seats / 0 Recliner

Net weight/Water volume 450kg / 2800L approx.

Frame Stainless steel

Side cover PS panel, UV resistant sandy finish

Insulation Polyurethane 10mm

Drains lpcs at the bottom

Power Requirement 1x 32A or 3 x 16A 220-240V/50Hz

Control Box Gecko IN.YE3

Control Panel IN.K300

Total Number of Water Jets 105 pcs

Heater 3000 W

Pumps 2x2hp one speed / 1x3hp one speed

Paper Core Filter 2pc 50 SQF

Water Sanitization Ozone (Balboa)

LED Lights 16 pcs LED

Headrests 4 pcs

Thermo cover Yes 140mm/80mm





FLUIDRA

- 190 Golyamokonarsko shose, 4000 Plovdiv, Bulgaria
- **\$** +359 32 950 023
- www.fluidra.com www.pro.fluidra.com

