FLUIDRA

Catalogue WELLNESS



FLUIDRA

Wellness



www.astralpool.com

"And just when the caterpillar thought the end had come, it transformed into a butterfly..."



Welcome to your Renaissance moment...



We grow up rushing to reach tomorrow. We carve out time from our daily lives to build a future, without appreciating the meaning of the journey, without appreciating that life is the path.

The only path is one of constant search, daily resurrection, rebirth without fear.

The 4 doors


I wake up, I cross the threshold, I am instantly overcome by a sense of peace. I don't know how to explain it. I close my eyes and I notice a soft perfume wafting on the air that transports me, I feel like my feet aren't touching the ground, a sense of being almost weightless...

I don't recognize the place. I only see four doors before me, a word written on each. I'm filled with a deep sense of curiosity. What could be behind each one?

006








I keep walking and approach the second door; where I can read the words Al-Haya. The elixir of life, coveted and sought after since time immemorial and, it is said, the source of eternal youth, a legendary potion that grants the drinker eternal life.








The third door also surprises me with its gorgeous golden letters spelling the word **Chrysalis**. The most important stage in the metamorphosis of the caterpillar, which weaves a delicate silk cocoon after reaching full growth and turns into a beautiful butterfly.

I have one door left, and on it is written **Daphne**, a forest nymph from Greek mythology, transformed into a laurel tree and a symbol of victory.

It seems like I'm in a magical place, each door holding a promise. Time has come to a standstill and the only thing I can feel is my breathing and the wish to cross those doors and enter each of those rooms.

I feel that the path to my wellbeing has just begun...





unforgettable one.



Time, quality time, is one of the most precious resources in today's world, which is why Fluidra takes care of every detail to ensure that the wellness experience is an

Once-in-a-life-time moments in unique spaces.



Unlimited creation

INNOVATION

We innovate new worlds, design new dreams, and explore unknown paths...

We provide our clients with creative and sustainable solutions that respect the details and quality that goes hand in hand with craftsmanship.

To be born, to grow, and to keep growing.



HOTEL MONASTERO DI CORTONA - ITALY






HAVEN RIVIERA CANCÚN - MÉXICO

We're global

Our multiculturalism and global perspective connect us to our clients.

Together, we work to create flawless experiences anywhere in the world.





Our success is your success.

EXPERIENCE



We're backed by our experience.

Over 6,000 projects completed over the past 50 years.

Projects FLUIDRA

Experts in wellness solutions and equipment.

Our integrated business model makes it possible to offer turnkey solutions as a one-stop wellness partner from start to finish: from the project's design phase to on-site implementation.

We also offer flexible, outstanding service at every step, springing into action only to cover our clients' needs.







Planning and conceptual design

The conceptual design is developed during the planning phase, making it possible to visualize the essence of the project as it is being designed, combining the requirements of the client's business plan with inspiring conceptual ideas.

In this phase, the working plan for each area of the wellness space is defined, as well as the best way for users to move around.





Design development

Once the conceptual phase is complete, our team develops the architectural, installation, and wellness equipment designs, proposing innovative solutions for a unique and functional project.

Product manufacturing and distribution.

In this phase, we put our own production centers to work to manufacture all the equipment required for the project, turning the designs from the previous phase into a reality under the strictest quality standards.







Installation and project management.

Getting the equipment installation process right is crucial for an excellent result. Which is why we offer installation and supervision at every step of the project, from assembly to launch.



The four doors CONTENT



Sauna Steam Bath Ice Cabin Ice Fountain Ceramic Snow Machine

03 Chrysalis

Loungers

+ Product specifications

FLUIDRA

O2 Al-Haya

Showers Mini contrast pool Vitality Pool Hydro Leisure Elements Spas Nordic bath

04 Daphne TREATMENTS

Treatment showers Halotherapy systems Portable massage bed Spa Tables Moodify




Phoenix TEMPERATURE ZONE

The sun recreated its reflection in the bird's glorious feathers, gold and red enveloped the sunset, and there was no world beyond the burning fire where the bird would find its end.

The fiery ashes held the seed, the rebirth of life, indestructible, immortal, a life that found a way despite the most brutal of fates.

She cared for her only egg in a nest lovingly built with aromatic herbs and spices and, burned completely on the third day, the Phoenix arises from her ashes, splendid, invincible.

The resurrection of life, spirit, body, and mind united in an eternal song.




Source of health and well-being. thousands of years.

Our ancestors sensed their therapeutic benefits and modern science confirms them.

beautiful.

A sauna is the answer. Having a sauna boosts vitality and energy, helping us stay healthy. More saunas, more health and well being.

CLIMATE CONTROL TABLE



1.1.11. Essentia

1.1.10. Honey

1.1.7. Innsbruck

1.1.4. Fiora

1.1.1. Classic 1.1.2. Borro

1.1.5. Nera


1.1.8. Lobos

TEMPERATURE ZONE 1.1

Sauna

In addition to their spiritual side, saunas have been used for medicinal purposes for


A sauna is an excellent way to improve the blood and motor system, reduce muscle pain, and increase joint movement. It is also a good partner for our skin, leaving it bright and



Bespoke Sauna

WOOD CRAFTSMEN. We custom build the Sauna for your project taking care of every detail and providing all our knowledge.





Essentia

SAUNA

The Essentia sauna is a study in precise lines, creativity, and extreme attention paid to every detail. It blends the Nordic tradition with the elegance of a contemporary design in more than balanced proportions that make it an excellent choice for current wellness spaces.

Dimensions (cm): 200 × 200 × 225 250 x 200 x 225 250 x 250 x 225 300 x 250 x 225





Bella SAUNA

Complete design with elegant lines specially designed for public use facilities.

Dimensions (cm): 180 x 180 x 210 230 x 180 x 210 230 x 230 x 210 280 x 230 x 210

Lobos

SAUNA

Clear design Premium wood quality Elegant details

Dimensions (cm): 134 x 254 x 210 194 x 194 x 210 254 x 254 x 210



Honey

SAUNA

With an innovative design based on bee hives, the Honey sauna meets demands for both residential and public use.





Dimensions (cm): 180 × 180 × 212 233 × 180 × 212 233 × 233 × 212 285 × 233 × 212 285 × 285 × 212



Complete design of elegant lines specially designed for public use facilities.

1.1.7. innsbruck | SAUNA

Innsbruck


SAUNA

Dimensions (cm): 135 x 135 x 210 180 x 180 x 210 220 x 220 x 210 260 x 220 x 210 300 x 250 x 210 300 x 300 x 210

St. Moritz

SAUNA

Elegant and exclusive design sauna. With premium quality wood for residential and public use facilities.



Dimensions (cm): 135x135x210

180x180x210 220x220x210 260x220x210 300x250x210 300x300x210



Borro

SAUNA

Elegant, refined sauna. Premium wood and carefully designed details. Perfect for both public and private use.



048





Dimensions (cm): 200 × 200 × 210 250 × 220 × 210 250 × 250 × ×210 300 × 250 × 210 300 × 300 × 210 400 × 300 × 210

—— Details: p. 316



Nera

SAUNA

Disruptive and innovative. The new Nera sauna is made of horizontal spruce panels painted in black. Cantilevered benches in light tones balance perfectly with the dark walls.


Dimensions (cm):

180 x 180 x 210 200 x 200 x 210 250 x 200 x 210 250 x 250 x 210

Details: p. 317



1.1.5. nera | SAUNA



Fiora

Fiora, AstralPool's new sauna, represents the evolution of classic Finnish design. Made with horizontal spruce panels and open benches, it blends classic sauna culture with the most sophisticated design.

1.1.4. fiora | SAUNA

SAUNA


Dimensions (cm): 180 x 180 x 210 200 x 200 x 210 250 x 200 x 210 250 x 250 x 210

Miramonte

SAUNA

Astralpool's new generation sauna model with elegant and exclusive design. Made with high quality and durable wood for public use facilities.

 $\begin{array}{l} \text{Dimensions (cm): } 200 \times 150 \times 210 \\ 200 \times 200 \times 210 \\ 250 \times 200 \times 210 \\ 250 \times 250 \times 210 \\ 300 \times 250 \times 210 \\ 300 \times 300 \times 210 \end{array}$





1.1.1. classic | SAUNA

Classic

SAUNA

Classic Finnish design combined with cutting-edge technology. AstralPool's Classic sauna is crafted in vertical spruce panels in the Finnish tradition. It can be made in other types of wood on request.

```
\begin{array}{l} \mbox{Dimensions (cm):} 150 \times 150 \times 210 \\ 200 \times 150 \times 210 \\ 200 \times 200 \times 210 \\ 250 \times 200 \times 210 \\ 250 \times 250 \times 210 \\ 300 \times 250 \times 210 \\ 300 \times 300 \times 210 \\ 400 \times 300 \times 210 \end{array}
```



Outdoor SAUNA


Install any outdoor sauna with AstralPool's new Outdoor Hut.

Made to measure, it protects the most

delicate materials from the most severe


climatic conditions.

Dimensions (cm): tailor-made on request



1.2.4. Hara 1.2.3. Cala

1.2.6. Configurable & Bespoke 1.2.5. Sutra



Straight lines, refined and elegant design. AstralPool's steam rooms offer exclusive designs adapted to the most advanced technology on the market.


The use of prefabricated modules remove on-site construction issues and speeds up construction times. Capable of withstanding the extreme humidity and temperature produced by the steam generator.

TEMPERATURE ZONE

1.2

Steam Baths

AstralPool's steam rooms are a complete solution that includes all the elements of a wet sauna (structure, framing, lighting, glazing, steam unit, finishes, etc.), manufactured according to our standard models or tailored to the needs of each project.







PANEL STEAM BATH EPS

Made by prefabricated panels of EPS,with support of T- shape aluminum profile ceiling and bench elements of EPS Steam room door of Aluminum frame 189x79cm Spa pack: steam generator with steam inlet,softening system,aroma dosing ,auto draining,control panel

Dimensions(cm):

150x150x240cm. 200x150x240cm. 200x200x240cm. 250x200x240cm.

Color palette







PANEL STEAM BATH XPS

Wall structure of XPS panel 50mm wide and T-shape aluminim profile -Ceiling of XPS with reinforcement mesh and cement coating -Benches of EPS with reinforcement mesh and cement coating

-Steam bath Led light - Water resistant 14.4W warm white color ,3000K in aluminum profile.

-Ventilator to br connected to air duct 100mm


-Spa pack: steam generator with steam inlet Harvia Silent,softening system, aroma dosing, auto discharge valve, control panel

Dimensions(cm):

- 150x150x240cm.
- 200x150x240cm.
- 200x200x240cm.

250x200x240cm.

Color palette



Steam room control panel



Electronic control panel with multi-language navigation for domestic and professional steam rooms.



relaxation.

design.

TEMPERATURE ZONE 1.4

Ice Fountain

An ice fountain plays a starring role in any wellness space. Completes the temperature contrast cycle by stimulating the blood vessels for full mind-and-body

AstralPool's ice fountains have two separate elements (ice maker + container) which together deliver a versatile solution that can be adapted to any type of project and



Ceiling dispenser (container not included)

Ice maker kit

ICE FOUNTAIN

AstralPool's ice maker kit is a robust and efficient piece of equipment that includes everything you need to quickly install and run the equipment, from the ice crusher to the stainless steel dispenser.

Available in two versions: Installation with ceiling dispenser and installation with wall dispenser.



Wall dispenser (container not included)

•

Ice container

Asana





Sutra





Hara





Cala



Bandha






Configurable












TEMPERATURE ZONE

1.5

Ceramics

Light, design, elegance, style...Discover our ceramic ranges, the balance between luxury and simplicity. Create harmonious spaces by adding a distinguished finish to your ice room, steam room, ice fountain, and loungers.









JREZONE 5


IRON 5X5





SILK / 5ILK





Feel the winter caressing your skin with Snowpro. Produces the finest quality natural snow and features advanced technology for use in ambient temperatures up to 45°C. Combine Snowpro with a custom-made room for your project.

TEMPERATURE ZONE 1.6

Snow Machine



SnowPro






White, cold, and refreshing snow captured on the skin. A sensation that makes you feel fragile yet free, released from the need to test your boundaries. Reinforce your inner peace and let relaxation take over.







A subtle contrast between temperature and texture that transports you to a different world, a comfortable yet motivating place.




Al-Haya

WATER ZONE

Taking the intense, hard journey wasn't enough; one had to persist. The dream of the elixir of life could almost be reached, that miraculous water that, just by touching my skin, would endow my soul with an unstoppable force, that renewed energy that would give my journey a whole new meaning.

Nature had spoken, a period of silence was imposed, a pause, a forced rest for the soul. There was neither yesterday nor tomorrow, only the immense power of an expectant present, a longing that drove me to take the helm of my own existence. To take the reins of my life, our life, with humility and courage. A song of silence was raised to honor the forces of destiny.

There was no other path. Life could only be savored sip by sip, the elixir was there, within my reach, a tangible promise that the best was yet to come.




2.1.1. Emotional showers 2.1.0. Accessories

2.1.2. Emotional tunnels 2.1.3. Contrast showers

2.1.4. Horizontal shower 2.1.5. Kneipp

2.1.6. Taylor made showers



From an explosive flow or as a delicate mist, water surrounds us in all its forms, a powerful and vital natural element. AstralPool's showers aim to recreate, through the contact of water with the skin, the sensation of a journey through nature at its wildest. Our showers recreate the sensory stimulation found in nature, guaranteeing a bright and beneficial fresh experience for the senses with infinite combinations of jets and lights to enhance enjoyment through the sleek and modern design of a set of shower heads created with people in mind.

WATERZONE

2.1

Showers

Don't miss a thing. Learn everything you need to know about our jets.

RAIN

Delicate on the skin, the rain jet tickles it causing a pleasant, stimulating and relaxing sensation.

WATERFALL

The powerful gesture of the waterfall absorbs us and communicates its energizing force to the whole body.

TROPICAL AERATED

The mix between tropical and aerated jets creates the effect of a dense rain which, descending, relieves and reduces muscular tension.

NEBULIZED

The nebulized jet slips in the environment, wrapping the body in a cosy and regenerating cloud of water.

AERATED

Water and air mix and enhance each other, massaging the body and inducing creativity and dynamism.

LED + NEBULIZED

A mixture of different therapies and effects, the LED light optimizes and enriches the regenerating effects of nebulization.

TROPICAL ·····

A constant and powerful jet, with an embracing and revitalizing effect, massaging the body and recharging its energy.

ATOMIZED

By reducing the water into tiny particles, the atomized jet gives a refreshing and relaxing feeling of wellbeing.

LED + ATOMIZED

The fusion of water particles and LED light heat enhances and intensifies the delicate touch of the atomized jet.






Emotional showers

Sense Pro Aqua Infinity Vita





Dimensions: 70 x 70 cm

0

0

0

Details: p. 340



The Sense Pro emotional shower immerses you in a journey towards your own wellbeing through 4 pre-programmed sequences (relaxation, energy, balance, sport)

developed by spa managers, combining elements of hydrotherapy, chromotherapy, and aromatherapy.

Aqua EMOTIONAL SHOWERS

Experience a shower of sensations with AstralPool Aqua emotional shower. Control the different types of jets with the Manual version or surrender to the timed Sequence version.

Dimensions: 70 x 70 cm

¥2

S.

....

...

....


.0

. •


Aqua

____ RGB Lighting

Manual



Details: p. 341



Let your mind soar to infinite places with AstralPool Infinity Emotional shower.

Sequence version.

Dimensions: 42 x 42 cm

Details: p. 342

Infinity

EMOTIONAL SHOWERS

C

. .

Infinity Nude

No Lighting

JETS

ACCESSORIES

0

٢

0

3

0

0:

0:

0

٩


::0

....

Infinity

RGB Lighting

Manual



Control the different types of jets with the Manual version or surrender to the timed

Vita


EMOTIONAL SHOWERS


118

Revitalize body and mind with Vita Emotional Shower. Manually control the different types of jets.



Dimensions: Ø50 cm







ACCESSORIES



5

Sound



Scented water




Aromatherapy




Additional external thermostat



Reverse circuit



Everything under control with the Manual and Sequence switches




The difference between the Sequence and Manual models is very simple and lies in their operating modes. The same shower model can be equipped with either, both excellent for an experience tailored to your needs.

This sophisticated switch turns on easily, starting a timed sequence of the various shower jets with just the press of a button in the Sequence models.



Sequence

The Manual models make it possible to enjoy each individual jet whenever you want; choose your favorite or the one that best adjusts to your needs.



Emotional tunnels


Infinity

Aqua Emotional tunnels

The Aqua emotional shower tunnel combines four fully programmed water, light, and temperature effects. The perfect fit for designs that incorporate water and moods created by lights, sounds, and fragrances.



RGB Lighting



ACCESSORIES




SEQUENCE CONTROL PANEL

Dimensions: 35 x 35 cm





126



No Lighting

JETS

٢

SEQUENCE CONTROL PANEL


Dimensions: 15 x 35 cm

Infinity


157.00

EMOTIONAL TUNNELS


Infinity Tunnel is the combination of five mini-showers designed not only to relax but to massage the entire body from head to toe. Different types of water jets help relieve tension and tightness in the muscles of the upper body.







JETS



ACCESSORIES

٢

SEQUENCE CONTROL PANEL

Dimensions: 15 x 35 cm | 35 x 35 cm

Vita EMOTIONAL TUNNELS

Vita tunnel combines two mini showers with a stylish central head. This perfect and simple fusion blends light, temperature, and water for an exceptional experience. Install Tune Vita easily and quickly on a pre-formed plate (on request).

Preferinger and a second

*7 *****


allin.

-

RGB Lighting







Bucket Cold Hot & Cold


131

Bucket

The contrast shower inspired by Tyrolean bucket showers is undoubtedly one of the best ways to deliver temperature contrast after time in a hot room. Abundant cold water has to hit the chest and back for optimal treatment.



No Lighting



Cold

CONTRAST SHOWERS

The AstralPool cold water body jets for ceiling or wall are the perfect way to create a contrast therapy session after time in the sauna or steam room. Its three spray units are controlled by a timer button located near the shower.



RGB Lighting

JETS



SEQUENCE CONTROL PANEL

Dimensions: Ø7,5 cm

s			
-			
`,			




Hot & Cold

Bithermal contrast in a single unit. AstralPool's hot and cold shower consists of 3+3 body jets operated by a timer button located near the shower.




RGB Lighting





SEQUENCE CONTROL PANEL

Dimensions: Ø7,5 cm



Horizon

HORIZONTAL SHOWER

Horizon, AstralPool's new horizontal shower, makes it possible to experience for the first time the combined effects of a full body massage and a balanced, relaxing, and stimulating emotional journey.

Perfectly adaptable to any environment, the horizontal shower is designed for ceiling installation.






JETS





4 SEQUENCES TOUCH PANEL relax | energy | balance | sport

Dimensions: 108,4 x 30,6 cm









FEATURES

FULL-BODY MASSAGE

The shower's horizontal position provides the same effects and benefits of a complete massage.

PRIVATE SPA

The horizontal shower reproduces the experience of a truly bespoke spa treatment


in a single product.

4 PROGRAMS

Four massage programs that combine rain jet, mist, and RGB LED light.

MANUAL AND PROGRAMMABLE CONTROLS

Horizon is equipped with a manual touch control to manage programs and individual jets.









1 SIZE



148

3



4 COMPOSITION

++

5 MUSIC



Bespoke

TAYLOR MADE SHOWERS

Fluidra offers customized solutions, putting its expertise and skills at your service to create unique and tailor-made products. From finishes to sizes and multiple functions, Fluidra will listen to any request and craft the product to meet every need.

149






FUNCTION

2




FINISHES









Mini contrast pools

In the late 5 th century B.C., following the example of the Greeks, the popular Roman baths incorporated cold rooms called "Frigidariums", where bathers would finish their circuit after passing through hot rooms like the steam room or the hot pool. We preserve these rituals of old, fully confident in the health benefits that contrast therapy has on the body. Not only is it good for the skin, but it also increases metabolism, blood flow, and stimulates the widening and narrowing of the blood vessels.

Limiting use to no longer than 2 minutes is recommended.


WATERZONE


2.2

One MINI CONTRAST POOLS




One is crafted from a single piece of AISI-316L 2-mm-thick satin-finish stainless steel . Elegant and robust design, careful finishes, and first-class materials make ONE a perfect choice for any "Frigidarium".






Dimensions: 218 x 98 x 108 cm. Details: p. 351






Two is crafted from a single piece of AISI-316L 2-mm-thick satin-finish stainless steel. Elegant and robust design, careful finishes, and first-class materials. It includes an entrance staircase and an exit staircase that facilitate the flow of people through the space.



Dimensions: 358 x 98 x 108 cm Details: p. 351

Two

MINI CONTRAST POOLS



Vitality Pool

2.3.3. Wellness 2.3.4. Sport


2.3.1. Optimal 2.3.2. Comfort

159

WATER ZONE

2.3

Opulence and elegance. AstralPool's Vitality swimming pools are crafted in a single piece of satin-finish stainless steel with a non-slip bottom. Ready to connect, minimizes installation times and eliminates construction work.







Optimal VITALITY POOL

Crafted in a single piece of 2-mm-thick satin-finish stainless steel with a non-slip bottom. This overflow model features LED projectors and a threestep staircase.

> Dimensions (m): 5 x 3 x 1,2 7 x 3 x 1,2 9 x 3 x 1,2 12 x 3 x 1,2

Details: p. 352-356

Comfort

Crafted in a single piece of 2-mm-thick satin-finish stainless steel with a non-slip bottom. This overflow model features LED lighting, integrated staircase, and multiple hydromassage accessories.



Dimensions (m):

7 x 3 x 1,2 9 x 3 x 1,2 12 x 3 x 1,2

Details: p. 352-356










Dimensions (m):
5 x 3 x 1,2
7 x 3 x 1,2
9 x 3 x 1,2
12 x 3 x 1,2

Crafted in a single piece of 2-mm-thick satinfinish stainless steel with a non-slip bottom. This overflow model features LED lighting, integrated staircase, and multiple hydromassage accessories.

Details: p. 352-356







Crafted in a single piece of 2-mm-thick satin-finish stainless steel with a non-slip bottom. This overflow model features LED lighting, a three-step staircase and a swimming upstream equipment.

167

Sport VITALITY POOL

Dimensions (m): 5 x 3 x 1,2 7 x 3 x 1,2 9 x 3 x 1,2 12 x 3 x 1,2

Details: p. 352-356



Playa is an elegant mini-pool created from great Italian design. Its soft hydromassage, hot water and its pleasant hand-woven fibers invite you to relax in a deep well-being both indoors and outdoors.

Playa Living, the evolution of the Playa model, incorporates soft cushions and sofas. This mini-pool transforms your space into a complete oasis of relaxation adding an elegant touch of sophistication.



Playa / Playa living VITALITY POOL / MINI POOL

Dimensions (m):

2,2 x 2,2 x 0,7 3,2 x 2,2 x 0,7 4,2 x 2,2 x 0,7

Details: p. 352-356



WATER

Hydro Leisure Elements

Feel the pleasure of deeper relaxation.

AstralPool's range of hydrotherapy products, made of stainless steel, includes both outdoor pool elements and indoor sets. The clean, elegant design is paired with the finest finishes.

ΖΟΝΕ

2.4

There are many variations of hydrotherapy, with spa water elements providing remarkable benefits that both relax and stimulate the nervous system.

It releases the body's tension in a massage circuit using pressurized water.

Pool surround Cascade

HYDRO LEISURE ELEMENTS



A cascade for the pool surround designed to create an intense yet deeply relaxing curtain of water.


This accessory is made from mirror-polished AISI 316 stainless steel and has to be ordered with the anchor plate for secure installation.

Complementary accessories

• Self-priming pump with flow rate of 34 m³/h at 10 m.w.c.

• Drainage system featuring 110 mm diameter stainless steel grill.

• Piezoelectric push button.





Wall-mounted Water Jet

Pool surround Water Jet

HYDRO LEISURE ELEMENTS

Water jet for pool surround, featuring swan-neck shaped cylindrical section, providing a high-pressure jet of water for a relaxing cervical massage.

This accessory is made from polished AISI -316 stainless steel and has to be ordered with the anchor plate for secure installation.

Complementary accessories

- Self-priming pump with flow rate of 10 m³/h at 14 m.w.c.
- Circular drainage system with 75 mm diameter outlet.
- Piezoelectric push button.

Double pressure Uniform pressure nozzle nozzle Hand diffuser spray nozzle 0 0 • 0 0

Fan spray nozzle

Wall-mounted water jet with cylindrical cross-section. Designed to produce multiple high-pressure water jets for a back and shoulder massage of medium intensity, depending on model. This accessory is manufactured from polished AISI-316 stainless steel. Anchor system for wall mounting.

Details: p. 357



HYDRO LEISURE ELEMENTS



Complementary accessories

- Self-priming pump with flow rate of 10 m³/h at 8 m.w.c.
- Circular drainage system with 2 ½" W BSP diameter outlet.
- Piezoelectric push button.

Cervical Massage

HYDRO LEISURE ELEMENTS



The Astralpool's Neck massage has 6 jets oriented with focus on the cervical area. Its medium massage intensity allows its use for a long time. Ideal to install on the seating area. It is an element made of polished stainless steel AISI-316.

Complementary accessories

Self-priming pump with flow rate of 10 m³/h at 8 m.w.c.
Circular drainage system with 2 ½" W BSP diameter outlet.
Piezoelectric push button.







Massage Nozzles 3-Set

HYDRO LEISURE ELEMENTS

Set comprising three massage effect nozzles, using a combination of water and air to stimulate calves, thighs and hips. These are hung in a vertical arrangement on the wall of the pool, at a height of 30, 60 and 90 cm from the pool bottom. The set is completed with a polished rounded stainless steel handrail which can either be attached to the pool surround or the wall of the pool itself. This handrail serves two functions -it gives pool users something to hold onto whilst allowing air to enter through holes situated along its length which is then directed to the nozzle by the so-called Venturi effect.

Complementary accessories

- Self-priming pump of 50 m³/h at 10 m.w.c.
- Piezoelectric push button.

Hydromassage Jet

HYDRO LEISURE ELEMENTS

Hydromassage jet system, specifically designed to be situated in areas where there are benches, water channels etc. Wherever an intense, localized massage is required. The acceleration of the water jet resulting from the Venturi effect creates hundreds of thousands of tiny air bubbles which further intensify the massage effect.


This accessory is 100% mirror-polished AISI-316 stainless steel with interchangeable nozzles.

Details: p. 360

Details: p. 361

Complementary accessories

- High water flow suction grill depending on the number of nozzles used.
- Piezoelectric push button.







Hydromassage jet system, specifically designed to be situated in areas where there are benches, water channels etc. Wherever an intense, localized massage is required. The acceleration of the water jet resulting from the Venturi effect creates hundreds of thousands of tiny air bubbles which further intensify the massage effect.

181

Hydromassage Mini Jet

HYDRO LEISURE ELEMENTS

Complementary accessories

• High water flow suction grill depending on the number of nozzles used. • Piezoelectric push button.

Dynamic Hydro-channel Jet

HYDRO LEISURE ELEMENTS







Pool floor massage effect air bubble generator. Cylindrical polished stainless steel accessory to be installed in pool floors, specially prepared for concrete pools. Available for liner installation on request.

Comprised of a set of water jet nozzles in mirror-polished stainless steel which, when situated and directed correctly, provide a flow of water using recycled pool water. Creates water currents of varying strengths.

Complementary accessories

- Self-priming pump of 50 m³/h at 10 m.w.c.
- Piezoelectric push button.

Dimensions (mm): ø300 300 x 300 / 500 x 500 / 675 x 675 / 750 x 750

Complementary accessories

- Air blower according to reference. • Siphon circuit jet system.
- 75 mm Ø PN-10 PVC water jet tubing.
 - Piezoelectric push button.

Details: p. 363





Bubble Snake

HYDRO LEISURE ELEMENTS

Elongated pool floor massage effect air bubble generator. The casing is made from polished stainless steel in the form of a long snake, to be installed in pool floors. The steel sheeting has holes along its length to allow the bubble to escape and create the desired effect.

Details: p. 364

Complementary accessories

- Air blower with flow rate of 140 m³/h at 120 mbar.
- Siphon circuit jet system.
- Piezoelectric push button.







Ergonomically designed massage accessory with air jets in the back, lumbar and leg regions. The bed is comprised of stainless steel casing with air holes situated in the key massage areas. The range includes both a single and double model.

Hydromassage Bench

HYDRO LEISURE ELEMENTS

Elongated massage effect air bubble generator for pool floor and/or bench for feet and buttocks.

Polished AISI 316 rectangular or semi-circular stainless steel casing accessory for mounting on pool bottoms or benches. The steel sheeting has holes along its length to allow the bubble to escape and create the desired effect.

Dimensions (mm): 300 / 600 / 1200

Complementary accessories

- Air blower according to reference.
- Siphon circuit jet system.
- Piezoelectric push button.

- Piezoelectric push button.

Details: p. 365

Details: p. 366

HYDRO LEISURE ELEMENTS

Complementary accessories

• Air blower with flow rate of 80 m³/h at 100 mbar. • Siphon circuit jet system.

Hydromassage Lounger

HYDRO LEISURE ELEMENTS



Manufactured in AISI-316 stainless steel and ergonomically designed to provide maximum comfort. The system is based on air which is injected through the base of the lounger, providing a muscle-relaxing massage.

Available in two versions: embedded or insta-

Dimensions (mm): to embed: 1450 / 1700 for column: 1450 / 1700

Accessories


lled with column.

L500 Column Concrete column anchor Prefabricated pool column anchor

Complementary accessories


 \bullet Air blower with flow rate of 150 m³/h at 100 mbar.

• Piezoelectric push button.



Hydromassage Beds

HYDRO LEISURE ELEMENTS



An elegant, modern design made of stainless steel tubes. Its flexible design allows as many beds as desired to be linked in parallel, achieving variable widths adaptable to each project.

Necessary elements for massage bed installation Air circuit:

• Air blower with flow rate of 80 m³/h at 100 mbar.

- Siphon circuit jet system.
- Piezoelectric push button.

Details: p. 369



Spaecial Hydromassage Beds

HYDRO LEISURE ELEMENTS


Stainless steel ergonomic waterbed for individual use. Composed of 200 air micro-outlets which provide a relaxing and pleasant massage. Easy installation.

Necessary elements for massage bed installation Air circuit: • Air blower with flow rate of 80 m³/h at 100 mbar.

- - Piezoelectric push button.

Details: p. 369

• Siphon circuit jet system.



High flow Suction Grills



An attractive element manufactured in AISI-316 stainless steel, comprised of a frame and modular grill, this piece has been specially designed to protect the suction tubes which feature in high-flow grills.


Dimensions (mm): 300x100 / 600x200 / 1200x200

193

HYDRO LEISURE ELEMENTS

Push buttons

HYDRO LEISURE ELEMENTS ACCESSORIES



A new piezoelectric push button with an attractive design.

It is specially designed to work in adverse environments. Its high resistance helps reduce maintenance costs. Despite IP-68 protection, immersion is not recommended.

Details: p. 374

Water Effect Timer

HYDRO LEISURE ELEMENTS ACCESSORIES

This accessory allows for timed shut off of water effects such as cascades, water jets etc, meaning that they do not have to be permanently connected. This is activated via a piezo-electric switch situated near the pool. When the switch is pressed, a relay circuit is activated which starts up the mechanism and the timer, which may be programmed for a period of time from 0 to 30 minutes. Once this time is up, the relay system automatically disconnects.

The timer also permits simple on/off operation, without the timer function. In this case it needs to be switched to "Manual" mode.

The timer LEDs indicate installation activity:

- Red LED = Effect deactivated
- Green LED = Effect activated

The terminal also features two additional outlets for push button LED indicators.







Air Blowers

HYDRO LEISURE ELEMENTS



Air pump designed for spas, baths, hydromassage installations and similar which produces a constant stream of air bubbles at medium and high air volume levels. It can also be used to stir up the filter bed, for example in back wash cycles where a low intensity air current is required.







Sit back, relax, and enjoy...

ancient times.

muscle injuries.

WATER ZONE

2.5

Spas

Water has also been essential for human survival, and the benefits of hydrotherapy have been known since

Today, hydrotherapy is a natural solution used to alleviate and treat conditions including stress, anxiety, and insomnia, symptoms of our hectic lives.

Hydrotherapy helps stimulate blood circulation and eliminate toxins from the body and is an excellent tool for treating a range of diseases, as well as bone and

Don't miss a thing. Everything you need to know about our jets and spa accessories.

Effective and relaxing. The pressurized water jet releases and relieves localized muscle tension.

WATER JETS

AIR JETS

Soft and delicate. The jet pushes air into water to create a mix of bubbles that provide a tingling, rejuvenating sensation.



LIGHTING /LED


Underwater white/RGB lighting device.

PIEZOELECTRIC SENSOR

Switch for the spa's hydrotherapy system

 \bigcirc





Stainless steel spas

AstralPool's stainless steel spas create unique, exclusive, and elegant spaces to balance body and mind.

Aligned with nature and an environmental approach, these spas are a completely sustainable product, 100% reusable and recyclable, which reduces environmental impact and the spa's footprint.

Stainless steel goes beyond elegance and sustainability to deliver excellent durability and resistance (it erodes less over the years).

Highly hygienic and with outstanding sealing, water is kept clean for long periods of time, reducing the use of chemicals.

All our designs are suitable for both indoor and outdoor use.

2.5.1.6. Apolo

2.5.1.4. Neptuno

2.5.1.2. Mercurio 2.5.1.1. Vulcano

2.5.1.3. Venus

2.5.1.5. Zeus


WATER ZONE


2.5.1

Vulcano Stainless steel spas

The Vulcano spa has 6 seats (6 / -). Manufactured in one piece in satin-finish AISI-316L stainless steel with a thickness of 2 mm. The seats have different types of hydromassage in the lumbar and calf areas.















Dimensions: Ø 230 x 90 cm Details: p. 376


Mercurio Stainless steel spas

The Mercurio spa has 4 seats (2/2). Manufactured in one piece in satin-finish AISI-316L stainless steel with a thickness of 2 mm.
It has 2 beds of corporal hydromassage, wooden headrest and 2 seats with hydromassage on the back and calves.

















The Venus spa has 4 seats (2/2). Manufactured in one piece in satinfinish AISI-316L stainless steel with a thickness of 2 mm. It has 2 corporal hydromassage, beds, a padded headrest and 2 seats with hydromassage on the back and legs. Spa with overflow channel.










Neptuno

STAINLESS STEEL SPAS

The Neptuno spa has 5 seats (5/-). Manufactured in one piece in satin-finish AISI-316L stainless steel with a thickness of 2 mm.


It has 5 seats with different types of hydromassage in back and legs.









FEATURES



Zeus Stainless steel spas

The Zeus spa has 7 seats (5/2). Manufactured in one piece in satin-finish AISI-316L stainless steel with a thickness of 2 mm. It has 2 corporal hydromassage, beds, a padded headrest and 5 seats with hydromassage on the back and legs. Spa with overflow channel.








FEATURES





Dimensions: 4,21 x 2,10 x 1,04 m Details: p. 377


Apolo Stainless steel spas

The Apolo spa is manufactured in one piece in satin-finish AISI-316L stainless steel. Thickness of 2 mm. With overflow channel.









FEATURES APOLO 6



Dimensions: 2,84 x 2,21 x 1,18 m Details: p. 377

FEATURES APOLO 8



Dimensions: 3,47 x 2,21 x 1,18 m Details: p. 377

FEATURES APOLO 10




Dimensions: 4,11 x 2,21 x 1,18 m Details: p. 377






2.5.2.6. Olympia 2.5.2.5. Verona

2.5.2.7. Coliseum





Premium finish

All of our spas are made with the finest materials that guarantee optimal performance and product durability.

Systems with added value

Innovation and continuous improvement. Two cornerstones that define our teams. At AstralPool we go a step beyond basic hydromassage to offer a much broader experience that includes chromotherapy in the shower sessions.

Professional filtration

the strictest regulations.

WATER ZONE

2.5.2

Acrylic spas

AstralPool's acrylic spa filtration systems are designed for heavy-duty use. The size of each pump ensures greater durability and reliability. Water is filtered through professional filter pumps and sand filters, complying with




AstralPool 1 is a 3-user spa (1 seat + 2 loungers), designed for public or professional use. It is a spa designed to be recessed or covered. It includes filtering equipment

FEATURES




Dimensions: 210 x 160 cm

Details: p. 380



219




AstralPool 2 is a 5-user spa (4 seats + 1 loungers), designed for public or professional use. It is a spa designed to be recessed or covered. It includes filtering equipment

Astralpool 2


ACRYLIC SPAS









AstralPool 3 is a 5-user spa (3 seats + 2 loungers), designed for public or professional use. It is a spa designed to be recessed or covered. It includes filtering equipment








ACRYLIC SPAS



AstralPool 4 is a 5-user spa (3 seats + 2 loungers), designed for public or professional use. It is a spa designed to be recessed or covered. It includes filtering equipment




ACRYLIC SPAS



AstralPool 5 is a 6-user spa (5 seats + 1 loungers), designed for public or professional use. It is a spa designed to be recessed or covered. It requires separate filtering equipment (spa pack) and balance tank

FEATURES













AstralPool 5 is a 5-user spa (5 seats + 0 loungers), designed for public or professional use. It is a spa designed to be recessed or covered. It requires separate filtering equipment (spa pack) and balance tank

18

Dimensions: 230 x 230cm

FEATURES





AstralPool 7 is a 12-user spa (12 seats + 0 loungers), designed for public or professional


use. It is a spa designed to be recessed or covered. It includes filtering equipment

FEATURES

 \bigcirc option 16 pcs led 2 105

I

Dimensions: 320 x 230 cm



Chrysalis RELAX ZONE

A silk cocoon enveloped his tiny feet and his entire body. He knew nothing of the coldness of the world beyond the sweet walls that protected him, but he sensed that there was something more outside his small home. He waited and waited, until he felt an inner strength, a sense that he was capable. The metamorphosis was a fact.

He saw himself, felt his body, and was overcome with the power to walk, to move forward. He was ready, prepared for this new stage of life. He carried inside him the heritage of his past, he had in him the hope of a promising tomorrow, he could almost feel the warmth of the sun against his skin. And he woke up.





3.1.2. Relax Loungers




Stop, look within, and blossom.

RELAX ZONE

3.1

Loungers

Essential for completing any temperature contrast cycle. Take time to care not just for the body, but for the mind. Let go of the obstacles and limits the mind creates, let go of everything that leads to stress and unfulfillment.



Relax Loungers to coat

Classic
Retro
Luxor

Zen

The ready-to-use loungers are crafted from a rigid foam called "EPS", a material produced from high-density beads of expanded polystyrene that provides lightweight yet long-lasting durability.

The surface of the lounger features a unique anti-slip treatment, and its design also allows for the installation of hydraulic and electric cover systems. With both options, the surface of the lounger should be finished to provide even heat distribution and a perfect finish. Finishing the surface of the lounger in ceramic tiles is recommended (see page 325-327).

Classic

The Classic model with a Cleopatra-style base and square footrest is available in both heated (design with electric cover) and unheated solutions. This model also offers the option of straight or rounded base corners.

Retro

The Retro model with a Cleopatra-style base and oval footrest is available in both heated (design with electric cover) and unheated solutions.


Luxor

The Luxor model with a reclining Cleopatra-style base is designed to be installed directly on the floor. Available in both heated (design with electric cover) and unheated solutions.

Zen

The Zen model has a disruptive and innovative design that fits all types of projects, from spaces set in the Asian wilds to new contemporary interior design. Its ergonomic and enveloping structure makes Zen a must-have element of relaxation. Available in both heated (design with electric cover) and unheated solutions.





Relax Loungers

Spaecial
Aqua
Calm
Calm lounge
Elna
Vega / vega wet

AstralPool's relaxation range covers solutions for all types of projects. Intensify your relaxation with exclusively designed sun loungers crafted from premium materials to create idyllic spaces.






Spaecial RELAX LOUNGERS



Made entirely of Scandinavian spruce and specially designed for wet areas (not recommended for outdoor use). This easily transportable lounger comes in a wide range of colors.





ustere


Aqua Relax loungers

Austere, fine, and elegant design. Made of premium wood, this lounger with adjustable backrest is the ideal option for casual conversations between cycles of contrast therapy.

Calm RELAX LOUNGERS

The Calm chair for professionals is designed for long periods of continuous use. This lounge chair for toning and relaxation rooms can be manufactured with infrared lamps to relieve localized muscle tension.






Calm Lounge RELAX LOUNGERS

The Calm Lounge for professionals is designed for long periods of continuous use. This lounge chair for toning and relaxation rooms can be manufactured with infrared lamps to relieve localized muscle tension.





Elna relax loungers

Elna is designed for professionals and long periods of continuous use. This relaxation and toning room lounger in solid surface has a temperature-controlled heating system.

Vega / Vega Wet

RELAX LOUNGERS

Stylish shapes, harmonious and ergonomic curves. Vega's wooden structure comes with standard "softtouch" fire-resistant polyurethane upholstery. Vega Wet is the option for wet areas. It comes in a painted-metal structure and the upholstery can be optionally waterproof.






Dafne TREATMENT ZONE

The beautiful nymph chose the shelter of the tree. An imposing laurel would be her eternal home and she thanked her father for his generous gesture. She dreamed that she would see the rise of the springs and that summer would seek her precious shadow. She wouldn't have traveled without pause, without rest, without peace.

The branches of that majestic laurel would be her perpetual refuge, she would find harmony in his beautiful retreat, and there would be no storm that could wash away her idea of rising again with her spirit intact, her body in all its splendor and her mind in the throes of an epic.





4.1.1. Kneipp 4.1.2. Vichy

Treatment Showers

Hydrotherapy helps treat the most diverse illnesses, practically any ailment you can imagine, using pressure exerted on the body, simple showers or ones that use certain products, the top-down effect of jets, and localized therapy that stimulates the metabolism, nervous system, and blood flow by either holistically treating the body or with a more targeted solution using water with contrasting temperatures.

equipped for long-term use.

TREATMENT ZONE

4.1


AstralPool's range of treatment showers features top-of-the-line parts. Designed for professional use, they are low-maintenance, easy to install, and

Kneipp TREATMENT SHOWERS

Professional contrast hydrotherapy shower featuring three separate hoses, each with its own massage nozzle for water pressure treatments controlled by a physiotherapist.



No Lighting



Dimensions: 60 x 74,8 x 17,2 cm

Vichy TREATMENT SHOWERS


Professional contrast hydrotherapy shower featuring a fixed or adjustable arm in 316 stainless steel with 5 heads in 3 different positions: rain - massage - mist.



No Lighting

JETS

Dimensions: 42 x 42 x 21 cm










4.2.3. Salt Wall

4.2.2. Sanama Salt Cabin



Halotherapy is a natural treatment method based on the nebulization of crystalline salt microparticles, which recreates the environmental conditions typically found in salt mines. The antibacterial and anti-inflammatory effects of these salt microparticles stimulate the immune system and help treat respiratory

TREATMENT ZONE

4.2

Halotherapy systems

diseases like asthma, bronchiolitis, cystic fibrosis, bronchitis, sinusitis, and seasonal allergies, as well as skin diseases including eczema and psoriasis. Recommended for alleviating stress, exhaustion, and sportsrelated injuries, it can also help unveil healthy and glowing skin.



Himalaya Cube

HALOTHERAPY SYSTEMS

Portable salt spray made from natural Himalayan salt bricks, backlit with LED light. Himalaya Cube creates unique and relaxing moods, blending elements like aroma, music, and color with halotherapy.

Dimensions (Large x width x height)(cm): $84 \times 64 \times 79,4$

Sanama Salt Cabin

HALOTHERAPY SYSTEMS

Sanama features a modern design that fuses natural wood with elements of Himalayan salt*. Top-of-the-line finishes and outstanding details make this product a must-have for any wellness area.

Dimensions (cm): 150 x 150 x 210 / 150 x 218 x 210 / 218 x 218 x 210 / 286 x 318 x 210



* Independent salt cabin modules.






Salt Wall

HALOTHERAPY SYSTEMS


As simple as relaxing and breathing inside a room with salt particles in the air. AstralPool's salt walls are made of blocks of Himalayan salt and built on a transparent methacrylate panel. Exceptionally easy to install and maintain. These walls include LED backlighting. Combine it with the Himalaya Cube.



Dimensions (mm): 200 x 100 x 25







276

Portable Massage Beds

Every wellness space has to have massage tables for everything from aesthetic treatments to giving massages, whether as part of a treatment or simply to increase wellbeing. The experience of an outstanding wellness treatment depends on more than just the therapist's skill; the quality of the massage tables also play a major role in delivering an intense sensory experience. Many treatments require a massage table: thermal mud massages, ayurvedic massages, toning or energizing massages, salt baths, wraps, and hot stones all use massage tables or automated treatment tables.

TREATMENT ZONE

4.3

AstralPool's range of portable massage tables are a robust and stylish option that adds complete flexibility when it comes to your session locations.

Confortflex





Dimensions (cm): 68 x 185 x 66/81




Details: p. 396



Ideal either as a stationary couch in a clinic or a sturdy portable, the Confortflex has all

the features of spa couches while offering the benefits of being portable.



Deluxe PORTABLE MASSAGE BEDS



Dimensions (cm): 68 x 185 x 66/81

281

The Deluxe features luxurious Affinity Therafoam comfort padding, soft touch PU upholstery and ergonomic design, thus reaching exceptional levels in both client and therapist comfort.






Dimensions (cm): 63/71,2 x 185 x 62/82,5




Details: p. 397



Marlin

PORTABLE MASSAGE BEDS

Marlin has been designed to be used and taken to the next appointment with the minimum of strain and difficulty for the therapist.. A slimline but strong table featuring a 4 leg cable system making it ideal for sports massage and mobile beauty treatments.



Our range of stationary massage tables adapts to each customer's needs and aesthetics, from the sleekest to the most glamorous or ethnic design.

This collection opens the door to unique multi-sensory experiences designed to incorporate color, smell, music, even touch (warm water bed).

4.4.11. Ayuvedic

4.4.9. Venus / Himalaya salt

4.4.7. Apolo

4.4.5. Lake

4.4.3. Well

4.4.1. Earth

TREATMENT ZONE

4.4

Spa Tables

Our aim is to create innovative designs with high-tech elements to ensure flawless ergonomics and comfort for both the professional and the user.

Earth SPA TABLES



Dimensions (cm): 73 x 189 x 75



Details: p. 398

Multifunctional table ideal for facial, body, and massage treatments. Available in two wood colors for the structure. Soft touch, fireproof, and oil resistant PU upholstery. Stationary height. Manually adjustable backrest. Lower shelf for storage.







Lake

SPA TABLES

Table with four motors and a metal structure finished in white or wenge wood. Perfect for face and body massage treatments. Electrically adjustable height, backrest, and legs. Soft touch, fireproof, and oil resistant white PU upholstery. Lower shelf for storage.

4.4.4. sense | SPA TABLES

Sense

SPA TABLES


Dimensions (cm): 78,5 x 189 x 54/74





Dimensions (cm): 92 x 219 x 61/81

Details: p. 398



Multi-function table for classic treatments (with mattress) and for spa treatments (warm + wet) on a Corian surface. White metal structure. Folding mattresses (storage compartment). Aromatherapy. Telescopic shower. It includes hospital-style and easily disinfected Corian trays.

TREATMENT ZONE

4.5

Moodify

The new Fluidra product that crosses the barriers of the current wellness concept.


Moodify is the first emotional manager on the market capable of adapting to user needs in order to offer the perfect experience. This disruptive product fuses different treatment concepts in just one session that will stimulate all your senses without the need for a therapist, only using the latest technology.







CHANGE YOUR $\sim 00 D$



Get unique Moodify experiences. Create a wellness 2.0 space by incorporating the version that best fits your project.

Moodify Room

Basic Moodify creates an interactive room with a Moodify vehicle that connects to several devices that stimulate the senses. Vehicle: La Playa Laghetto. Devices: Audio / Projection / Bubbles / Temperature / Aroma / Lighting.


Moodify Ambient

Moodify Ambient can be customized to fit the needs of both new projects and existing facilities. Not only does it provide the essence of Moodify Room to the space, it also has the added bonus of serving as a room environment manager, making it possible to create different moods in a single space.

Moodify Spa

Moodify SPA, the 2.0 version of Moodify Ambient. This new version delivers the services of the earlier version with the addition of a key feature: Communication between vehicles. Moodify SPA offers a complete, guided treatment experience through the connected vehicles.

*Vehicle: Element incorporated into the wellness space (sauna, steam room, pool, etc.) where the Moodify experience is enjoyed



Technical Characteristics

Phoenix TEMPERATURE ZONE

315




Saunas TEMPERATURE ZONE

CLASSIC SELECT

			SAUNA PANELS								
CODE	DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood		
70431	150x150x210	4,5kW 230/400 3~									
70432	200x150x210	6kW 230/400 3~					Optional	N/A	Abachi		
70433	200x200x210	6kW 230/400 3~			lard Optional	Optional					
70455	250x200x210	8kW 230/400 3~		Chandrad							
70434	250x250x210	9kW 230/400 3~	N/A	Standard							
70436	300x250x210	10,5kW 230/400 3~									
70437	300x300x210	13,5kW 230/400 3~									
70438	400x300x210	16,5kW 230/400 3~									







NERA

NERA												
			SAUNA PANELS									
CODE DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood				
UR*	180x180x210	7kW 230/400 3~		Standard (black pinted)	N/A	N/A	N/A	N/A	Abachi			
UR*	200x200x210	7kW 230/400 3~										
UR*	250x200x210	7kW 230/400 3~	N/A									
UR*	250x250x210	10,8kW 230/400 3~										

ST. MORITZ


			SAUNA PANELS								
CODE	DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood		
72907	135x135x210	4,5kW 230V 1~	_				N/A	N/A			
72908	180x180x210	6kW 230/400 3~							Abachi		
72909	220x220x210	8kW 230/400 3~	Standard	N/A	A N/A	N/A					
72910	260x220x210	9kW 230/400 3~	Standard	N/A					Abachi		
72911	300x250x210	10,5kW 230/400 3~									
72912	300x300x210	13,5kW 230/400 3~									

INNSBRUCK

			SAUNA PANELS								
CODE	DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood		
72901	135x135x210	4,5kW 230V 1~	-					N/A			
72902	180x180x210	6kW 230/400 3~							AL 1.		
72903	220x220x210	8kW 230/400 3~	Standard	N/A		N/A					
72904	260x220x210	9kW 230/400 3~	Standard	IN/A	N/A	IN/A	N/A		Abachi		
72905	300x250x210	10,5kW 230/400 3~									
72906	300x300x210	13,5kW 230/400 3~									

LOBOS						
					SAUNA	PA
CODE	DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	T A
72913	134x254x210	7kW 230/400 3~				
72914	194x194x210	7kW 230/400 3~	Standard	N/A	N/A	
72915	254x254x210	9kW 230/400 3~				

* under request





316	
-----	--

BORRO


		POWER (kW)	SAUNA PANELS								
CODE	DIMENSIONS		Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood		
72920	200x200x210	6kW 230/400 3~				l Standard		N/A	Thermo Pine		
72921	250x200x210	8kW 230/400 3~									
72922	250x250x210	9kW 230/400 3~	N/A	Outinut.							
72923	300x250x210	10,5kW 230/400 3~	IN/A	Optional	Optional		Optional				
72924	300x300x210	13,5kW 230/400 3~									
UR*	400x300x210	16,5kW 230/400 3~									


MIRAMONTE


			SAUNA PANELS							
CODE	DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood	
70470	200x150x210	7 kW 230/400V 3~				Optional	Optional		Abachi	
70471	200x200x210	7 kW 230/400V 3~								
70439	250x200x210	9 kW 230/400V 3~	N/A							
70440	250x250x210	9 kW 230/400V 3~	IN/A	Optional	Standard			N/A	ADACUI	
70441	300x250x210	10,8 kW 230/400V 3~								
70442	300x300x210	13,5 kW 230/400V 3~								


FIORA


				SAUNA PANELS								
CODE	DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood			
UR*	180x180x210	6kW 230/400 3~		N/A	N/A		N/A	N/A	Abachi			
UR*	200x200x210	6kW 230/400 3~	N1/A									
UR*	250x200x210	8kW 230/400 3~	N/A			Standard						
UR*	250x250x210	9kW 230/400 3~										












PANELS			
Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood
N/A	N/A	N/A	Abachi

Saunas TEMPERATURE ZONE

RELLA

BELLA										
			SAUNA PANELS							
CODE	DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood	
72916	180x180x210	7kW 230/400 3~			N/A N/A	N/A	N/A	N/A	Thermo Aspen	
72917	230x180x210	7kW 230/400 3~	Characteria	N1/A						
72918	230x230x210	11kW 230/400 3~	Standard	N/A						
72919	280x230x210	11kW 230/400 3~								





MIRAMONTE MEASURE CLASSIC ACCESSORIES Stainless steel sauna accessories set un. Optional Optional Optional Salt decorative elements set un. Optional Optional Optional RGB Led lighting kit with Ontio

INNSBRUCK

Accessories

CODE

70443

70444

70445	RGB Led lighting kit with remote control	un.	Optional	Optional	Optional	
70446	Touchscreen control unit for sauna heater	un.	Optional	Standard	Standard	4
70447	Outside wall finished with vertical timber panels	lin.m.	Optional	Optional	Optional	(
70448	Roof extension	sq.m.	Optional	Optional	Optional	(
70449	Tintes/ transparent glass window	sq.m.	Optional	Optional	Optional	(
70450	Concealed heater for sauna up to 300x250cm	un.	Optional	Optional	Optional	(
70451	Concealed heater for sauna more than 300x250cm	un.	Optional	Optional	Optional	(
70452	Additional wall for hidden water	lin.m.	Optional	Optional	Optional	
70453	Aroma dosign system	un.	Optional	Optional	Optional	(
70456	Decorative wall protection made of stones	un.	Optional	Optional	Optional	(
70457	RGB Chromo therapy kit with remote control	un.	Optional	Optional	Optional	(
Request	2nd full glass side	sq.m.	N/A	N/A	N/A	
Request	Glass roof panel	sq.m.	Optional	Optional	Optional	(
Request	Heater safety railing	un.	Standard	Optional	Standard	

HONEY


					SAUNA	PANELS			
CODE	DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood
72896	180x180x212	7 kW 230/400V 3~							
72897	233x180x212	9 kW 230/400V 3~							
72898	233x233x212	9 kW 230/400V 3~	Standard	N/A	N/A	N/A	N/A	N/A	Thermo Aspen
72899	285x233x212	10,8 kW 230/400V 3~							
72900	285x285x212	13,5 kW 230/400V 3~							



ESSENTIA

			SAUNA PANELS							
CODE	DIMENSIONS	POWER (kW)	Hemlock Plywood	Nordic Spruce	White Pine	Thermo Aspen/ Alder/Pine	Red Cedar	Magnolia	Bench wood	
72892	200x200x225	7kW 230/400 3~								
72893	250x200x225	7kW 230/400 3~			N/A		N/A	Standard	Thermo Magnolia	
72894	250x250x225	10.8kW 230/400 3~	N/A	N/A		Optional				
72895	300x250x225	10,8kW 230/400 3~								





OUTDOOR

On request

ST. MORITZ	LOBOS	BELLA	HONEY	BORRO	NERA	FIORA	ESSENTIA
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Optional	Optional	N/A	N/A	N/A	N/A	N/A	Optional
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Optional	Optional	N/A	N/A	Optional	N/A	N/A	N/A
Optional	Optional	N/A	N/A	Optional	N/A	N/A	N/A
Optional	Optional	N/A	N/A	Optional	N/A	N/A	N/A
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Optional	Optional	N/A	N/A	N/A	Optional	Optional	N/A
Optional	Optional	N/A	Optional	Optional	Optional	Optional	Optional
N/A	Optional	Optional	Optional	N/A	N/A	N/A	N/A
Optional	Optional	Optional	Optional	Optional	N/A	N/A	N/A
Standard	Standard	Optional	Standard	N/A	N/A	Standard	N/A
	Optional Optional Standard Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional	OptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalStandardStandardOptional	OptionalOptionalOptionalOptionalOptionalN/AOptionalOptionalOptionalOptionalOptionalOptionalStandardStandardStandardOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalN/AOptionalOptionalN/AOptionalOptionalN/AOptionalOptionalN/AOptionalOptionalN/AOptionalOptionalN/AOptionalOptionalN/AOptionalOptionalN/AOptionalOptionalN/AOptionalOptionalOptionalOptionalOptionalOptionalN/AOptionalOptionalN/AOptionalOptionalN/AOptionalOptional	NumberOptionalOptionalOptionalOptionalOptionalOptionalN/AN/AOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalStandardStandardStandardStandardOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalN/AOptionalOptionalN/AN/AOptionalOptionalN/AN/AOptionalOptionalN/AN/AOptionalOptionalN/AN/AOptionalOptionalN/AN/AOptionalOptionalN/AN/AOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptionalN/AOptionalOptionalOptional <td< td=""><td>OptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalStandardStandardStandardStandardStandardOptionalN/AN/AOptionalOptionalOptionalN/AN/AOptionalOptionalOptionalN/AN/AOptionalOptionalOptionalN/AN/AOptionalOptionalOptionalN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalN/AN/AN/AOptionalOptionalN/AN/AN/AOptionalOptionalN/AOptionalOptionalOptionalOptionalN/AN/AN/AOptionalOptionalN/AN/AN/AOptionalOptionalN/AOptionalN/AN/AOptionalOptionalOptionalOptionalN/AOptionalOptionalOptionalOptionalN/AOpti</td><td>OptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalN/AN/AN/AN/AOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalStandardStandardStandardStandardStandardStandardStandardOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AOptionalN/AN/A</td><td>OptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalN/AN/AN/AN/AN/AN/AOptionalN/AN/AOptionalN/AN/AOptionalOptionalN/AN/AOptionalN/AN/AOptionalOptionalN/AN/AOptionalN/AN/AOptionalOptionalOptionalOptionalOptionalOptionalN/AOptionalOptionalN/AN/AN/AN/AOptionalOptionalOptionalOptionalN/AN/AN/AN/AOptionalOptionalOptionalOptionalN/AN/A</td></td<>	OptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalStandardStandardStandardStandardStandardOptionalN/AN/AOptionalOptionalOptionalN/AN/AOptionalOptionalOptionalN/AN/AOptionalOptionalOptionalN/AN/AOptionalOptionalOptionalN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalN/AN/AN/AOptionalOptionalN/AN/AN/AOptionalOptionalN/AOptionalOptionalOptionalOptionalN/AN/AN/AOptionalOptionalN/AN/AN/AOptionalOptionalN/AOptionalN/AN/AOptionalOptionalOptionalOptionalN/AOptionalOptionalOptionalOptionalN/AOpti	OptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalN/AN/AN/AN/AOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalStandardStandardStandardStandardStandardStandardStandardOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AOptionalN/AOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AN/AN/AOptionalOptionalOptionalN/AOptionalN/AN/A	OptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalN/AN/AN/AN/AN/AN/AOptionalN/AN/AOptionalN/AN/AOptionalOptionalN/AN/AOptionalN/AN/AOptionalOptionalN/AN/AOptionalN/AN/AOptionalOptionalOptionalOptionalOptionalOptionalN/AOptionalOptionalN/AN/AN/AN/AOptionalOptionalOptionalOptionalN/AN/AN/AN/AOptionalOptionalOptionalOptionalN/AN/A


Steam Baths EPS


TEMPERATURE

ΖΟΝΕ

EPS

CODE	EPSKIT1515	EPSKIT2015	EPSKIT2020	EPSKIT2520				
Dimensions A-B (cm)	150x150x240	200x150x240	200x200x240	250x200x240				
Power	4.5kW	5.7kW	9.0kW	9.0kW				
Control		Touch						
Steam bath panels	EPS Cement coated							
Bench material		E	PS Cement coate	ed.				
Accessories finish			Black Matte					
Ceiling material		EPS Cement coated						
Lighting		LED White						
Arc		Standard						






Steam Baths XPS

TEMPERATU RE


XPS

CODE	XPSKIT1515	XPSKIT2015	XPSKIT2020	XPSKIT2520			
Dimensions A-B (cm)	150x150x240	200x150x240	200x200x240	250x200x240			
Power	4.5kW	5.7kW	9.0kW	9.0kW			
Control	Touch						
Steam bath panels	XPS Cement coated						
Bench material		Х	PS Cement coate	d			
Accessories finish			Black Matte				
Ceiling material		XI	PS Cement coate	ed			
Lighting	LED White						
Arc	Standard						



[]‡

ΖΟΝΕ



Create your customizable steam room option:

T E M P E R A T U R E Z O N E

CUSTOMIZABLE CODE

DIGI	TS	12345	-	6	7-8	9-10	11	12	13	14
		BASE CODE		BENCH SETTINGS	BENCH FINISHES	WALL FINISHES	FRAMING	CEILING	Optional 1	Optional 2

CUSTOMIZABLE CODE EXAMPLE


DIGITS	74026	-	с	3F	SS	В	5	-	-
	BASE CODE		BENCH SETTINGS	BENCH FINISHES	WALL FINISHES	FRAMING	CEILING	Optional 1	Optional 2



BASE CODE (Digits 1-5)

Code	74023	74024	74026	74027	74028
Dimensions A-B (cm)	200x200x220	250x200x220	250x250x220	300x250x220	300x300x220
Power	9 kW	9 kW	9 kW	12 kW	12 kW
Control			Ecotouch		

BENCH SETTINGS (Digit 6)



BENCH AND WALL FINISHES (Digits 7-8, 9-10)

SR	UNLINED
SS	SOLID SURFACE
*	LARGE FORMAT PORCELAIN

* Large format porcelain finishes and codes on pag. 322

FRAMING (Digit 11)					
I	I Satin stainless steel				
Р	Matte Silver				
В	Black paint				

CEILING (Dígito 12)

1	White methacrylate
2	Black methacrylate
3	White methacrylate + LED
4	Black methacrylate + LED
5	White methacrylate + starry sky
6	Black methacrylate + starry sky

OPTIONALS (Digits 13, 14)


L	Sink
1	1 Puff
2	2 Puff
В	Water softener

Ice Cabin

T E M P E R A T U R E Z O N E

ASANA


CODE	73928	73929	73930	73931		
Dimensions A-B (cm)	250x200x220	250x250x220	300x250x220	300x300x220		
Ice Wall	2,5m	2,5m	2,5m	2,5m		
Power	1,85 kW	1,85 kW	1,85 kW	1,85 kW		
Control	Touch screen					
Wall finishes	Kelya Porcelain					
Bench finishes	Sirius Porcelain					
Accessories finishes		Matte	Black			
Ceiling	Black methacrylate					
Lighting	Warm white perimeter LED on ceiling and under benches					
Accessories included	Ice Fountain roof + container					



20


2.20


2.20



CALA


CODE	73932	73933	73934	73935	73936	
Dimensions A-B (cm)	200x200x220	250x200x220	250x250x220	300x250x220	300x300x220	
Ice Wall	2,0m	2,5m	2,5m	2,5m	2,5m	
Power	1,20 kW	1,85 kW	1,85 kW	1,85 kW	1,85 kW	
Control	Touch screen					
Wall finishes	Kreta Porcelain + Sirius					
Bench finishes		Kreta Porcelain				
Accessories finishes		Stainless steel				
Ceiling	Black methacrylate					
Lighting	Starry sky + Warm white perimeter LED under bench					
Accessories included		Ice Fou	ıntain wall + co	ntainer		






SUTRA

SUTRA						
CODE	73937	73938	73939	73940		
Dimensions A-B (cm)	250x200x220	250x250x220	300x250x220	300x300x220		
Ice Wall	2,5m	2,5m	2,5m	2,5m		
Power	1,85 kW	1,85 kW	1,85 kW	1,85 kW		
Control	Touch screen					
Wall finishes	White solid surface					
Bench finishes		Kairos Porcelain				
Accessories finishes		Matte	Black			
Ceiling	Black methacrylate					
Lighting	Warm white perimeter LED on ceiling and under benches					
Accessories included	Ice Fountain roof + container					






BANDHA

CODE	73883	73884	73885	73886		
Dimensions A-B (cm)	250x200x220	250x200x220	250x250x220	300x250x220	30	
Ice Wall	2,0m	2,5m	2,5m	2,5m		
Power	1,20 kW	1,85 kW	1,85 kW	1,85 kW		
Control	Touch screen					
Wall finishes		Gada Porcelain				
Bench finishes			Gada Porcelair	1		
Accessories finishes			Stainless steel			
Ceiling	White methacrylate					
Lighting	Warm white perimeter LED on ceiling and under benc					
Accessories included		Ice Fou	ıntain wall + co	ontainer		

HARA

CODE	73888	73889	73890	7	
Dimensions A-B (cm)	250x200x220	250x250x220	300x250x220	300x	
Ice Wall	2,5m	2,5m	2,5m	2	
Power	1,85 kW	1,85 kW	1,85 kW	1,8	
Control	Touch screen				
Wall finishes	Radium Porcelain				
Bench finishes	Nilium Porcelain				
Accessories finishes	Matte Black				
Ceiling	Black methacrylate				
Lighting	Starry sky + Warm white perimeter LED under bench				
Accessories included		Ice Fountain roof + container			

324



Create your customizable ice room option:

T E M P E R A T U R E Z O N E

CUSTOMIZABLE CODE

DIGITS	12345	-	6	7-8	9-10	11	12	13	14
	BASE CODE		BENCH SETTINGS	BENCH FINISHES	WALL FINISHES	FRAMING	CEILING	Optional 1	Optional 2

CUSTOMIZABLE CODE EXAMPLE

DIGITS	74026	-	с	3F	SS	В	5	-	-
	BASE CODE		BENCH SETTINGS	BENCH FINISHES	WALL FINISHES	FRAMING	CEILING	Optional 1	Optional 2



BASE CODE (Digits 1-5)

Code	74029	74030	74031	74032	74033	
Dimensions A-B (cm)	200x200x220	250x200x220	250x250x220	300x250x220	300x300x220	
Ice Wall	2,0m	2,5m	2,5m	2,5m	2,5m	
Power	1,20 kW	1,85 kW	1,85 kW	1,85 kW	1,85 kW	
Control		Touch screen				

A

BENCH AND WALL FINISHES (Digits 7-8, 9-10)

SR	UNLINED		
SS	SOLID SURFACE		
*	LARGE FORMAT PORCELAIN		
* Large format porcelain finishes and codes on pag. 322			

FRAMING	(Digit	11)
---------	--------	-----


I	Satin Stainless Steel
Р	Matte Silver
В	Black paint

CEILING (Digito 12)

1	White methacrylate
2	Black methacrylate
3	White methacrylate + LED
4	Black methacrylate + LED
5	White methacrylate + starry sky
6	Black methacrylate + starry sky

OPTIONALS (Digits 13, 14)

L	Ice container
1	1 Puff
2	2 Puff
н	Ice fountain wall
Y	Ice fountain roof
J	Ice fountain wall + container
к	Ice fountain roof + container




Ice Fountain


TEMPERATURE ZONE

CODE	ICE GENERATOR KIT
73892	Stainless steel ceiling
73894	Matte Black ceiling
73893	Stainless steel wall
73895	Matte Black wall

ICE MAKER MACHINE



ICE DROP TUBE



Available in other lengths up to a maximum of 1m Finishes: Stainless steel or Matte Black

KIT CONTENT - WALL

- Ice Chopping Machine 200 (kg/24h)
- Roof ice dispenser 150x80x2 made of 316 stainless steel with glossy or matte black finish.
- Wall fixing photocell.
- Support brackets for cutting machine.
- Ice level control equipment.
- Ice sink not included.


KIT CONTENT - CEILING

- Ice Chopping Machine 200 (kg/24h)
- Roof ice dispenser 800x129x2 made of 316 stainless steel
- with glossy or matte black finish.
- Photocell incorporated in tube.
- Support brackets for cutting machine.
- Ice level control equipment.
- Ice sink not included.

CODE ICE CONTAINER 73896 ASANA 73897 CALA 73898 SUTRA 73899 BANDHA 73900 HARA 74034 CUSTOMIZABLE

The customizable option is available in any of the customizable finishes for steam and ice rooms.

ICE CONTAINER




CHARACTERISTICS

Container made of large format porcelain. Lower base ring in anodized aluminum. 20 L capacity.

- ASANA: Coted in slate black large format porcelain Sirius (group 1)
- BANDHA: Coted in large formats sand porcelain Gada (Group 0).
- CALA: Coted in large gray stone porcelain Kreta (Group 2).
- HARA: Coted in large format porcelain Nilium (Group 2).
- SUTRA: Coted in large format porcelain Kairos (Group 3).

Large format Porcelain

TEMPERATURE ZONE



1J - Sirius

1I - Sasea



2D - Kira



2H - Laos



2L - Nilium

2P - Strato



2T - Vienna

Large format Porcelain TEMPERATURE ZONE

GROUP 3



3A - Aura



3E - Glacier



3I - Opera




3M - Tundra



3F - Kairos

3N - Zenith



3G - Korso

3K - Sogne



3D - Fiord



3H - Lumina



3L - Splendor

Ceramics

TEMPERATURE ZONE

Enhance your ready-to-finish rooms or loungers with AstralPool's range of ceramic tiles.

SIXTIES






GREY 32 x 29 cm. 12,60" x 11,42" GREY60F D3



PINK 32 x 29 cm. 12,60" x 11,42" PINK60F D3



KHAKI 32 x 29 cm. 12,60" x 11,42" KHAK60F D3



PEARL TAUPE 32 x 29 cm. 12,60" x 11,42"

SIXTIES MATT



MATT WHITE 32 x 29 cm 12,60" x 11,42 MA1860F D3



MATT KHAKI 32 x 29 cm. 12,60" x 11,42 MA2160F D3



MATT MUSTARD 32 x 29 cm. 12,60" x 11,42" MA2460F D3





G33560F D3

MATT BLACK 32 x 29 cm. 12,60" x 11,42



MATT TURQUOISE 32 x 29 cm. 12,60" x 11,42"



MATT BLUE

32 x 29 cm.

12,60" x 11,42"

MA2660F D3

MATT SAND 32 x 29 cm. 12,60" x 11,42 MA3260F D3





WHITE 32 x 29 cm. 12,60" x 11,42" WHIT60F D3



TAUPE 32 x 29 cm. 12,60" x 11,42" TAUP60F D3



MATT IVORY 32 x 29 cm. 12,60" x 11,42



MA2060F D3



BURGUNDY 32 x 29 cm. 12,60" x 11,42" BURG60F D3



TURQUOISE 32 x 29 cm. 12,60" x 11,42" TURQ60F D3



MATT GREY 32 x 29 cm. 12,60" x 11,42 MA2260F D3



MATT PINK 32 x 29 cm. 12,60" x 11,42" MA1960F D3



MUSTARD 32 x 29 cm. 12,60" x 11,42" MUST60F D



BLUE 32 x 29 cm. 12,60" x 11,42" BLUE60F D3



MATT TAUPE 32 x 29 cm. 12,60" x 11,42 MA2360F D3



MATT BURGUNDY 32 x 29 cm. 12,60" x 11,42" MA2560F D3

Ceramics TEMPERATURE ZONE

IRON 5X5



GOLD 31 x 31 cm. 12,20" x 12,20" GOLD50F B10




31 x 31 cm. 12,20" x 12,20" OXID50F B10

HERMES 5X5

31 x 31 cm.

12,20" x 12,20"

HERM50F B10



BRONZE



1

TERRA 5X5 31 x 31 cm. 12,20" x 12,20" TERR50F B10

DURBAN

33,4 x 33,4 cm.

13,15" x 13,15"

33% MA14

33% MT08

33% **G330**

DURB25Y L5




STEEL

31 x 31 cm.


12,20" x 12,20"

STEE50F B9

TOKYO 33,4 x 33,4 cm. 13,15" x 13,15" 33% **MA09** 33% MT05 33% **G312** TOKY25Y L5



MILAN 33% MA13 33% MT07 33% **G329** MILA25Y L5





PARIS 33,4 x 33,4 cm. 13,15" x 13,15" 33% WHITE FOG 33% MT04 33% **G305** PARI25Y L4

COPPER

31 x 31 cm.

12,20" x 12,20"

COPP50F B9



SILVER


31 x 31 cm.

12,20" x 12,20"

SILV50F B10

SYDNEY 33,4 x 33,4 cm. 13,15" x 13,15" 33% WHITE FOG 33% MT01 33% G328 SYDN25Y L4

SILK/5ILK



558 ANTI-SLIP 31 x 31 cm. 12,20" x 12,20" 055850A B8

ANTI-SLIP

33,4 x 33,4 cm.

13,15" x 13,15"

BNCO25AY B1





WHITE ANTI-SLIP 31 x 31 cm. 12,20" x 12,20" BNCO50A B8

WHITE


LIGHT GREY ANTI-SLIP 33,4 x 33,4 cm. 13,15" x 13,15" GRCL25AY B3


258 ANTI-SLIP 33,4 x 33,4 cm. 13,15" x 13,15" 025825AY B3





ANTI-SLIP 31 x 31 cm. 12,20" x 12,20" AREN50A B8





BLACK ANTI-SLIP 33,4 x 33,4 cm. 13,15" x 13,15" NEGR25AY B3

Snow Machine

TEMPERATURE ZONE

MODEL	SNOWFALL 05L	SNOWFALL 08W	SNOWFALL 16W	SNOWFALL 25W	SNOWFALL 32W
CODE	73945	73946	73947	73948	73949
GENERAL		·		- -	
Size	650 x 650 x 437mm	910 x 830 x 480mm	910 x 830 x 480mm	910 x 830 x 900mm	2 x 910 x 830 x 480mm 1 x 680 x 830 x 480mm
Size (condenser)	650 x 650 x 468mm				
Weight	80 kg	90 kg	90 kg	125 kg	190 kg
Refrigeration	Air	Water	Water	Water	Water
Connection	230 V	230 V	230 V	400 V	400 V
Power	0,9 kW / 3,4A	0,9 kW / 7,2A	1,1 kW / 7,2A	2,4 kW / 4,5A	2,8 kW / 5,1A
SNOW		·	·		·
Quality	Natural	Natural	Natural	Natural	Natural
Weight	appx 140kg/m³	appx 140kg/m³	appx 140kg/m3	appx 140kg/m³	appx 140kg/m³
Flow	appx 0,7 m³/d	appx 1,2m³/d	appx 2,3m3/d	appx 3,4m³/d	appx 4,6m³/d
TEMPERATURE					
Snow coverage	max. +45°C				
Installation space	max. +35°C				
OPTIONAL			,		1
Snow / LED Lighting	✓	\checkmark	✓	✓	\checkmark
Snow height sensor	✓	~	✓	✓	✓
Auto on/off	√	\checkmark	~	\checkmark	√






Technical characteristics



Emotional Showers


WATER ZONE




- Square shower head for recessed installation 700x700 mm.

- Complete kit with control box for jets, lights, water temperature, and installation system. Includes built-in wall-mounted IP67 keypad in stainless steel with 4 buttons and 7-module flush mount box (type 506) with electroniccontrol to manage 4 pre-configured programs: Relax, Energy, Balance, Sport. 12V load transformer.
- Materials: stainless steel plate with ultra-mirror finish, liquid silicone anti-lime membrane.
- Ceiling depth: 150 mm.
- Water supply 1/2" (inch)
- Operating pressure: 1.5 / 5 bar.
- Recommended pressure: 3 bar.

CODE	DESCRIPTION	LIGHTING	JE	TS
AF-FL002	AQUA SEQUENCE	RGB		
AF-FL003	AQUA SEQUENCE WHITE	WHITE		
AF-FL004	AQUA SEQUENCE NUDE	-		
AF-FL005	AQUA	RGB		
AF-FL006	AQUA WHITE	WHITE		
AF-FL007	AQUA NUDE	-		
	435		_	435
	e e			0






Aqua sequence nude


- Square shower head for recessed installation 700x700 mm. 4 water patterns: 1 rain jet, 4 mist jets, 1 tropical jet, and 1 waterfall jet.
- Aqua sequence and Aqua: includes 6 LED lights with chromotherapy.
- Aqua White sequence White and Aqua White: includes 4 LED bench lights.
- Ultra-mirror stainless steel plate, liquid silicone anti-lime membrane.
- Ceiling depth: 100 mm.
- Water supply 1/2" (inch)
- Operating pressure: 1.5 / 5 bar.
- Recommended pressure: 3 bar.
- Complete kit with installation system.

Emotional Showers

WATER ZONE



CODE	DESCRIPTION	LIGHTING	JE	TS		SIZE (cm)	CONTROL	c	PTIONAL	.s
AF-FL014	VITA	RGB								
AF-FL015	VITA WHITE	WHITE		-	-	Ø50	Manual (2 buttons)	Î.	S.	S.
AF-FL016	VITA NUDE	-								




- Square shower head for recessed ceiling installation 420 x 420 mm. 3 water patterns: 1 rain jet, 2 mist jets and 1 waterfall jet.
- Infinity sequence and Infinity: includes 4 LED lights with chromotherapy.
- Infinity sequence White and Infinity White: includes 2 white LED lights.
- Ultra-mirror stainless steel plate, liquid silicone anti-lime membrane.
- Ceiling depth: 100 mm.
- Water supply: 1/2" (inch)
- Operating pressure: 1,5 / 5 bar.
- Recommended pressure: 3 bar.
- Complete kit with installation system.

342

- Rounded shower head for recessed ceiling installation Ø500 mm. 2 water patterns: 1 rain jet and 2 mist jets.
- Infinity sequence and Infinity: includes 4 LED lights with chromotherapy.
- Infinity sequence White and Infinity White: includes 2 white LED lights.
- Ultra-mirror stainless steel plate, liquid silicone anti-lime membrane.
- Ceiling depth: 100 mm.
- Water supply: 1/2" (inch)
- Operating pressure: 1,5 / 5 bar.
- Recommended pressure: 3 bar.
- Complete kit with installation system.

Emotional Tunnels

WATER ZONE




- Materials: Ultra-mirror stainless steel plate, liquid silicone anti-lime
- membrane.
- Ceiling depth: 100 mm. – Water supply: 1/2" (inch)
- Operating pressure: 1,5 / 5 bar.
- Recommended pressure: 3 bar.
- The inverted path accessory (not included) makes it possible to run the sequence in reverse.

- Materials: Ultra-mirror stainless steel plate, liquid silicone anti-lime membrane.
- Ceiling depth: 100 mm.
- Water supply: 1/2" (inch)
- Operating pressure: 1,5 / 5 bar.
- Recommended pressure: 3 bar
- The inverted path accessory (not included) makes it possible to run the sequence in reverse.


Emotional Tunnels

CODE DESCRIPTION LIGHTING JETS SIZE (cm) CONTROL OPTIONALS 5 2 x 35 x 15 K. SZ. AF-FL035 VITA RGB 1 button 1 x 35 x 35




 Materials: Ultra-mirror stainless steel plate, liquid silicone anti-lime membrane.

- Ceiling depth: 100 mm.
- Water supply: 1/2" (inch)
- Operating pressure: 1,5 / 5 bar.
- Recommended pressure: 3 bar.
- The inverted path accessory (not included) makes it possible to run the sequence in reverse.



Contrast Showers

WATER ZONE





- Built-in round chrome bodyjet with sequential control, with nebulized jet.

Includes RGB led for chromotherapy and control of temperature.

- Water supply connection: 1/2" inch

– Absorption 350 mA





- Built-in round chrome bodyjet with sequential control, with nebulized and atomized jet. Includes RGB led for chromotherapy and control of temperature.


- Water supply connection: 1/2" inch
- Absorption 350 mA

CODE	DESCRIPTION
87038	CUBE SHOWER

- Cube attached to the wall or ceiling.
- Capacity: 4.5 7.5 liters
- Size of upper diameter: 305 mm
- Height: 270mm
- Chain height: 630mm
- Pivot radius: 480mm
- Pipe connection: 1/2"

Horizontal Shower

WATER ZONE



Horizontal shower and massage, in mirror-finish stainless steel, for mounting on the ceiling, with electronic water mixer, chromotherapy and touch control panel to manage 4 preconfigured programs (sport, energy, relaxation, balance) or manual start.

Hydraulic characteristics:

- Water supply works with hot and cold water.
- Pressure 2 ÷ 5 bar.
- Recommended pressure 3 bar.
- For pressures higher than 5 bar, we suggest installing a pressure reducer.
- Cold water temperature 10 $^{\circ}$ ÷ 15 $^{\circ}$ C
- Hot water temperature 55 $^\circ$ ÷ 65 $^\circ$ C
- Optimum hot water flow 15 l / m.

NB:


- A drainage of water in the ground is necessary to release the flow of water.
- It is suggested to install a water softener for water with hardness higher than 15/18 degrees F°

Electrical characteristics:

- Electrical supply 100-240V 50 ÷ 60Hz
- 12V operation control panel.
- Maximum absorption 100W
- We suggest installing a dedicated RCCB.


Kneipp Path

WATERZONE




- 8 bodyjets (4 mist + 4 atomized) built in chrome plated brass with sequence control.

- Led RGB for chromotherapy and manual temperature control is included.
- Water supply connection: 1/2" inch
- Absorption 350 mA



- 16 bodyjets (8 mist + 8 atomized) built in chrome plated brass with sequence control.


- Led RGB for chromotherapy and manual temperature control is included.
- Water supply connection: 1/2" inch
- Absorption 350 mA






- Led RGB for chromotherapy and manual temperature control is included.
- Water supply connection: 1/2" inch
- Absorption 350 mA

WATER ZONE



MODEL	COLD PLUNGE ONE	COLD PLUNGE TWO
CODE	71482	71483
GENERAL SPECIFICATIONS		·
Internal dimensions	2,00 x 0,80 x 0,85 m	3,40 x 0,80 x 0,85 m
External dimensions	2,18 x 0,98 x 1,08 m	3,58 x 0,98 x 1,08 m
Positions (Seats / Loungers)	-	-
Water capacity	0,90 m ³	1,33 m ³
Empty weight / Full Weight	300 / 1200 kg	400 / 1730 kg
CHARACTERISTICS		
No. Massage jets (water)	-	-
No. Air nozzles (air)	-	-
Overflow / Skimmer	Skimmer	Skimmer
Overflow suction	-	-
Return inlet	1	2
Bottom cleaner nozzles	1	1
Main drain	1	1
Headrests	-	-
LED projectors	1	2
Piezoelectric button	No	No
OPTIONS (NOT INCLUDED)		·
Stainless steel overflow grille	No	No
Wooden overflow grille	No	No
Isolating cover	No	No
RECOMMENDED EQUIPMENT		
Compact filtration kit	No	No
Balance tank	No	No






Filtration equipment

Vitality pool made of stainless steel with overflow 5x3x1,2 m









Vitality pool made of stainless steel with overflow 7x3x1,2 m



MODEL	OPTIMAL	WELLNESS	COMFORT	SPORT				
CODE	71507	71508	71509	71510				
GENERAL SPECIFICATIONS								
Internal dimensions		7 x 2,85 x 1,2 m						
External dimensions		7,7 x 3,6	x 1,3 m					
Water capacity		24	m ³					
Empty weight / Full Weight	2550 Kg - 26550 Kg	3100 Kg - 27100 Kg	3300 Kg - 27300 Kg	2550 Kg - 26550 Kg				
CHARACTERISTICS		· · · · · · · · · · · · · · · · · · ·						
Skimmers	-	-	-	-				
Overflow suction	2	2	2	2				
Return inlet	3	4	4	3				
Bottom cleaner nozzles	1	1	1	1				
Main drain	2	2	2	2				
Projectors	2	2	2	2				
ACCESSORIES	·	·,						
Ladder (3 steps)	\checkmark	-	-	✓				
Steps	-	✓	\checkmark	-				
Hydromassage bench	-	✓	\checkmark	-				
Hydromassage cascade	-	✓	\checkmark	-				
Hydromassage water jet	-	✓	\checkmark	-				
Hydromassage beds	-	-	\checkmark	-				
Countercurrent equipment	-	-	-	✓				
Cover	-	✓	\checkmark					
RECOMMENDED EQUIPMENT								
Hydraulic button and timer	-	45218 + 35761	45218 + 35761	-				
Blower pump for hydro beds	-	-	31091	-				
Blower pump for hydro bench	-	35388	35388	-				
Filtration equipment		233	348					

27804

Vitality pool WATER ZONE

Vitality pool made of stainless steel with overflow 9x3x1,2 m

	LU .			00
	·	i	E T	·
•				
MODEL	OPTIMAL	WELLNESS	COMFORT	SPORT
CODE	71514	71515	71516	71517
GENERAL SPECIFICATIONS				1
Internal dimensions		8,84 x 2,	85 x 1,2 m	
External dimensions		9,6 x 3,	6 x 1,3 m	
Water capacity		31	m ³	
Empty weight / Full Weight	3050 Kg - 34050 Kg	3500 Kg - 34500 Kg	3700 Kg - 34700 Kg	3050 Kg - 34050 Kg
CHARACTERISTICS				
Skimmers	-	-	-	-
Overflow suction	3	3	3	3
Return inlet	4	5	5	4
Bottom cleaner nozzles	1	1	1	1
Main drain	2	2	2	2
Projectors	2	2	2	2
ACCESSORIES				
Ladder (3 steps)	✓	-	-	✓
Steps	-	✓	✓	-
Hydromassage bench	-	✓	✓	-
Hydromassage cascade	-	√	✓	-
Hydromassage water jet	-	√	✓	-
Hydromassage beds	-	-	✓	-
Countercurrent equipment	-	-	-	✓
Cover	-	√	✓	
RECOMMENDED EQUIPMENT				
Hydraulic button and timer	-	45218 + 35761	45218 + 35761	-
Blower pump for hydro beds	-	-	31091	-
Blower pump for hydro bench	-	35388	35388	-
Filtration equipment		23	349	

Vitality pool made of stainless steel with overflow 12x3x1,2 m

MODEL	OPTIMAL	WELLNESS	COMFORT	SPORT	
CODE	71521	71522 71523		71524	
GENERAL SPECIFICATIONS		·			
Internal dimensions		11,84 x 2,8	85 x 1,2 m		
External dimensions		12,6 x 3,6	6 x 1,3 m		
Water capacity		41	m ³		
Empty weight / Full Weight	3850 Kg - 44850 Kg	4350 Kg - 45350 Kg	4500 Kg - 45500 Kg	3850 Kg - 44850 Kg	
CHARACTERISTICS	·				
Skimmers	-	-	-	-	
Overflow suction	4	4	4	4	
Return inlet	5	6	6	5	
Bottom cleaner nozzles	2	2	2	2	
Main drain	2	2	2	2	
Projectors	3	3	3	3	
ACCESSORIES	·				
Ladder (3 steps)	✓	-	-	✓	
Steps	-	\checkmark	✓	-	
Hydromassage bench	-	\checkmark	✓	-	
Hydromassage cascade	-	\checkmark	\checkmark	-	
Hydromassage water jet	-	\checkmark	✓	-	
Hydromassage beds	-	-	\checkmark	-	
Countercurrent equipment	-	-		✓	
Cover	-	\checkmark	✓	-	
RECOMMENDED EQUIPMENT	~				
Hydraulic button and timer	-	45218 + 35761	45218 + 35761	-	
Blower pump for hydro beds	-	-	31091	-	
Blower pump for hydro bench	-	35388	35388	-	
Filtration equipment		233	350		




Vitality pool WATER ZONE

PLAYA / PLAYA LIVING

CODE	MODEL	TOTAL DIMENSIONS (W X L X H) CM	WATER DIMENSIONS (W X L X H) CM	VOLUME (L)	PANEL COLOR	REF. LAGETTO
67338					Coffee	KITDVPLA1BICF1G
67339	Playa 1 / Standard	220x220x70	180x140x55	1200	White	KITDVPLA1BIBI1G
69349	_				Grey	KITDVPLA1BIGR1G
67340					Coffee	KITDVPLA2BICF1G
67341	Playa 2 / Standard	320x220x70	180x240x55	2000	White	KITDVPLA2BIBI1G
69351					Grey	KITDVPLA2BIGR1G
69355					Coffee	KITDVPLA3BICF1G
69356	Playa 3 / Standard	420x220x70	180x340x55	3000	White	KITDVPLA3BIBI1G
69358					Grey	KITDVPLA3BIGR1G
67342					Coffee	KITDVPLARB1BICF1G
67343	Playa 1 / Bubbles & Heater	220x220x70	180x140x55	1200	White	KITDVPLARB1BIBI1G
69352					Grey	KITDVPLARB1BIGR1G
67344					Coffee	KITDVPLARB2BICF1G
67345	Playa 2 / Bubbles & Heater	320x220x70	180x240x55	2000	White	KITDVPLARB2BIBI1G
69354					Grey	KITDVPLARB2BIGR1G
69361					Coffee	KITDVPLARB3BICF1G
69363	Playa 3 / Bubbles & Heater	420x220x70	180x340x55	3000	White	KITDVPLARB3BIBI1G
69364					Grey	KITDVPLARB3BIGR1G

DIMENSIONS



COMPLEMENTARY ACCESSORIES	
Panels	COFFEE WHITE GREY
Upholstery (Living Option)	NATURAL-N WATER-W BROWN-B GREY-G


* See specific Playa Living codes in product sheet (sofa option)

Hydro Leisure Elements

WATERZONE

POOL SURROUND CASCADE


34032 POOL SURROUND CASCADE



34032	COMPLEMENTARY ACCESSORIES
65570	Recommended pump*
30765	Suction concrete
45210	Suction liner
45219+35761	Push button and timer


* For a total water pressure head loss of 10 m.w.c.


POOL SURROUND WATER JET




34039	COMPLEMENTARY ACCESSORIES
65570	Recommended pump*
30765	Suction concrete
45210	Suction liner
45219+35761	Push button and timer


* For a total water pressure head loss of 14 m.w.c.









WALL-MOUNTED WATER JET






MASSAGE NOZZLES



MASSAGE NOZZLES


Water feature concrete	Water feature liner	Recommended pump*	Suction concrete	Push button and timer
34049 + 34050	40981 + 34050	08003	35368	45219 + 35761

* For a total water pressure head loss of 10 m.w.c.



CERVICAL MASSAGE JET

60792 CERVICAL MASSAGE JET




CERVICAL MASSAGE JET

Water feature	Recommended pump*	Suction concrete	Suction liner	Push button and timer
60792	65558	19987	20091	45219 + 35761

* For a total water pressure head loss of 8 m.w.c.


34050 HANDRAIL FOR MASSAGE NOZZLE SET





HYDROMASSAGE JET

35753 9 NOZZLE TRIM AND JET SET CONCRETE

35754 BALL JET TRIM SET CONCRETE










Pressure (m.c.a.)	Water flow (m³/h)	Observation
1	0,75	
2	1,6	Effect start
3	2,5	
4	3	
5	3,5	Recommended water flow
6	4	
7	4,25	
8	4,5	
9	4,75	
10	5	
11	5,5	

35753		
Pressure (m.c.a.)	Water flow (m³/h)	Observation
1	1	
2	1,6	
3	2,5	Effect start
4	3	
5	3,5	Recommended water flow
6	4	
7	4,25	
8	4,5	
9	4,75	
10	5	
11	5,5	









WATER ZONE

HYDROMASSAGE MINIJET




41283 BALL MINIJET TRIM SET






35078 300 mm DIAMETER HYDROMASSAGE GRILL CONCRETE




41283		
Pressure (m.c.a.)	Water flow (m³/h)	Observation
10	1	
12	1,2	
14	1,3	
16	1,4	
18	1,5	
20	1,6	
22	1,65	
24	1,7	
26	1,8	
28	1,9	
30	2	




35077	HYDROMASSAGE GRILL 300 x 300 CONCRETE
35074	HYDROMASSAGE GRILL 500 x 500 CONCRETE
35075	HYDROMASSAGE GRILL 675 x 675 CONCRETE
35076	HYDROMASSAGE GRILL 750 x 750 CONCRETE

DYNAMIC HYDRO-CHANNEL JET

34055 DYNAMIC HYDRO-CHANNEL JET CONCRETE







DYNAMIC HYDRO-CHANNEL JET CONCRETE				
Water feature concrete	Recomended pump*	Suction concrete	Suction liner	Push button and timer
34055	08003	30765	45210	45219 + 35761

362

* For a total water pressure head loss of 10 m.w.c.






CODIGO	A	В	С
34074	550	490	692
34075	675	615	830
34076	750	690	905
34077	300	240	455


POOL FLOOR MASSAGE GRILLS			
Water feature concrete	Recomended air blower*	Push button and timer	
35078	35388	45219 + 35761	
35077	35388	45219 + 35761	
35074	31091	45219 + 35761	
35075	31091	45219 + 35761	
35076	31091	45219 + 35761	

* For a total pressure of 120 mbar.



Hydro Leisure Elements WATER ZONE

BUBBLE SNAKE




50 4 20 2" M 160

001 300


BUBBLE SNAKE FOR CONCRETE

Water feature concrete	Water feature liner	Recomended air blower*	Push button and timer
34048	40980	31092	45219 + 35761

* For a total pressure of 120 mbar.



34052 1200 mm MODEL FOR CONCRETE



• • • • • • • • • • • • • • • • • • •
• • • • • • • • • • • • • • • • • • •
* * * * * * * * * * * * * * * * * * * *
••••••••
12


HYDROMASSAGE BENCH				
Water feature concrete	Water feature liner	Recomended air blower*	Push button and timer	
34051	A consultar	35387	45219 + 35761	
34052	A consultar	31091	45219 + 35761	
60714	60746	35388	45219 + 35761	

* For a total pressure of 100 mbar.

HYDROMASSAGE BENCH


68746 300 mm MODEL LINER

60714 300 mm MODEL FOR CONCRETE



660

AIR BEDS




TO EMBED			
Water feature concrete	Water feature liner	Recomended air blower*	Push button and timer
35249		35388	45219 + 35761
35250	41159	31091	45219 + 35761

* For a total pressure of 100 mbar.


HYDROMASSAGE LOUNGER





Hydro Leisure Elements WATER ZONE

HYDROMASSAGE LOUNGER



HYDROMASSAGE BEDS


Water feature concrete	Water feature liner	Recomended air blower*	Push button and timer
31998		31091	45219 + 35761
32071	41159	31091	45219 + 35761
TO EMBED COLUMN			

TO EMBED COLUMN					
Lounger	Column	Concrete anchoring	Liner anchoring	Recomended air blower*	Push button and timer
31996	31997	19983	15833	31091	45219 + 35761

* For a total pressure of 100 mbar.


HIGH FLOW SUCTION GRILLS


58814 HIGH FLOW RATE SUCTION CABINET OF 120 M3/H FOR CONCRETE




19983 RECTANGULAR ANCHOR FOR CONCRETE POOL

15833 RECTANGULAR ANCHOR FOR PREFABRICATED POOL








AIR BLOWERS

CODE	Pump Power	FLOW	PRESSURE	VOLTAGE
35387-FG	0,75 kW single phase	144	190	110 / 220 V
35388-FG	0,75 kW 3 phase	144	190	220 / 380 V
31090-FG	1,1 kW single phase	216	180	220 V
31091-FG	1,3 kW 3 phase	216	180	220 / 380V
31092-FG	1,75 kW 3 phase	216	250	220 / 380 V
35389-FG	1,75 kW 3 phase	156	320	220 / 380 V
31093-FG	2,2 kW 3 phase	312	220	220 / 380 V
31094-FG	3,4 kW 3 phase	222	410	220 / 380 V
31095-FG	3,4 kW 3 phase	312	280	200 / 380 V
31096-FG	4 kW 3 phase	312	280	200 / 380 V
31097-FG	5,5 kW 3 phase	522	280	200 / 380 V
31098-FG	7,5 kW 3 phase	522	360	380 / 660 V
33970-FG	0,4 kW 3 phase			
33971-FG	1,5 kW single phase			
33972-FG	5,5 kW 3 phase			
33973-FG	11 kW 3 phase			


SEKO								CON	ИPRE	ESSIC	DN @	0 50F	lz -	PRE	SSU	RE (r	nbar) / Fl	_OW	(m³/	h)							
Model		Conn.	kW	0	50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	525	550	600	625	650
BL02000100400	33970-FG	1"1/4	0,4	80	58	45	33	12																				
BL04000100900	35387-FG	1"1/2	0,85	140	112	100	90	70	55																			
BL040001M0900	35388-FG	1"1/2	0,85	140	112	100	90	70	55																			
BL05000101300	31091-FG	2"	1,5	210	180	165	145	125	115																			
BL050001M1300	31092-FG	2"	1,5	210	180	165	145	125	115																			
BL05000101500	31090-FG	2"	1,5	210	180	165	145	125	115	90																		
BL050001M1500	33971-FG	2"	1,5	210	180	165	145	125	115	90																		
BL06000102200	31093-FG	2"	2,2	320	290	270	250	230	210	200	180																	
BL06000103000	31095-FG	2"	3	320	290	270	250	230	210	200	180	165	140	120														
BL07000105500	31097-FG	2"1/2	5,5	520	490	470	430	410	395	380	355	330	305	290	255													
BL07000107500	31098-FG	2"1/2	7,5	520	490	470	430	410	395	380	355	330	305	290	255	240	220	200	180	160	130							
BL42000201600	35389-FG	1"1/2	1,6	150	135	130	125	120	115	100	95	90	85	75														
BL52000203000	31094-FG	2"	3	230	220	210	195	185	175	170	165	155	145	135	125	120	110	100	85	80								
BL52000204000	31096-FG	2"	4	230	220	210	195	185	175	170	165	155	145	135	125	120	110	100	85	80	70	60	50					
BL62000205500	33972-FG	2"	5,5	340	335	320	310	295	290	280	265	255	245	240	230	225	220	215	200	190	180	170	155	145				
BL92000211000	33973-FG	2"1/2	11	520	495	480	470	455	440	430	420	410	390	380	375	370	360	340	335	330	320	315	300	290	280	270		

AIR BLOWERS




																												(1~)		(3~)					
	A	A' B	B'	С	C'	D	E	F	F'	F''	G	H	H'	J	К	L	М	Ν	N'	0	Ρ	P' Q	ø	RS	s ·	T U		V	V	V1	V1'	W	a Ø)	XYZ	holes X
33970-FG	246	247		90	2	205	230	256			135	128	1	01	83	108	75	71		39	G1¼	64	1	0 3	3	M6x	19			M25X1.5	M16X1.5		14	M6x15	0°/120°/240
35387-FG	286	302		115	2	225	255	292		·	160	154	1	20	95	130	70	75		46	G1½	72	1	2 3	3	M6x	19			M25X1.5	M16X1.5		17	4 M6x15	0°/120°/240
35388-FG	286	302		115	2	225	255	294			160	154	1	20	95	130	70	75		46	G1½	72	1	2 3	3	M6x	19	M16x1.5	M25X1.5				17	4 M6x15	0°/120°/240
31091-FG	334	337		120	2	260	295	346			191	175	1	28	115	155	96	87		48	55	83	1	4	4	M8x	17			M25X1.5	M16X1.5	29	20	M8x20	0°/120°/240
31092-FG	334	337		120	2	260	295	346			191	175	1	28	115	155	96	87		48	55	83	1	4	4	M8x	17			M25X1.5	M16X1.5	29	20	M8x20	0°/120°/24
31090-FG	334	337		120	2	260	295	346			191	175	1	28	115	155	96	87		48	55	83	1	4	4	M8x	17			M25X1.5	M16X1.5	29	20	M8x20	0°/120°/240
33971-FG	334	337		120	2	260	295	346			191	175	1	28	115	155	96	87		48	55	83	1	4	1	M8x	17			M25X1.5	M16X1.5	29	20	M8x20	0°/120°/24
31093-FG	382	384		125	2	90	325	377			191	197	1	28	140	180	84	109		54	55	83	1	5 4.	.5	M8x	17			M32X1.5	M32X1.5	29	24	M10x20	0°/120°/240
31095-FG	382	384		125	2	90	325	409			188	197	1	35 [,]	140	180	84	109		54	55	83	1	5 4.	.5	M8x	17			M32X1.5	M32X1.5	42	24	M10x20	0°/120°/240
31097-FG	451	461	509	152	3	356	394	433	477		230	240	1	48	170	217	140	124		65	2"1/2		1	5 6	5					M32X1.5	M32X1.5	42	28	M12x20	0°/120°/240
31098-FG	451	461	509	152	3	856	394	433	477		230	240	1	48	170	217	140	124		65	2"1/3		1	5 6	5					M32X1.5	M32X1.5	42	28	5 M12x20	0°/120°/240

DIMENSIONS




																													(1~)		(3~)						
	A	A'	В	B'	С	C'	D	E	F	F'	F''	G	Н	H'	J	K	L	М	N	N'	0	Р	P'	٥	ØR	S	T	U	V	۷'	V1	V1'	W	α	ØX	XYZ	holes X
35389-FG	322	324	315		58		225	255	401	1	1	91 1	154	153	128	95	130	73	151		45	G1/2"	1	72	12	3	104	M6x19			M25X1.5	M16X1.5		28	174	M6x15	51.5°/171.5°/291.5°
31094-FG	372	411	371		60		260	295	465	5	1	90 1	175	144	135	115	155	98	171		48	55	1	83	14	4	116	M8X17			M32x1.5	M32x1.5	42		200	M8x20	51,5°/171,5°/291,5°
31096-FG	372	411	371		60		260	295	499	,	2	24	175	144	135	115	155	98	171		48	55	1	83	14	4	116	M8X17			M32x1.5	M32x1.5	42		200	M8x20	51,5°/171,5°/291,5°
33972-FG	426	426	410		154		290	325	571	I	2	26	197	162	167	140	180	200	205		53	G2	5	33	15	4.5 ⁻	130	M8X17			M32X1.5	M32X1.5	42		240	M10x20	51,5°/171,5°/291,5°
33973-FG	500	549	490	509	76		356	394	694	71	7 3	18 2	240	199	197	170	217		212	84	105	G2½			15	6					M40X1.5		42		286	M12x20	51,5°/171,5°/291,5°

AIR BLOWERS CURVE DETAILS




PIEZOELECTRONIC PUSH BUTTON KIT


45219	SINGLE PIEZOELECTRIC PUSH BUTTON
35759	1 LED PUSH BUTTON
35760	2 LEDS PUSH BUTTON



ELECTRIC DIAGRAM




INSTALLATION



SINGLE PIEZOELECTRIC PUSH BUTTON

- Housing: stainless steel
- Connection: RED PVC WIRES 24 AWG
- Switching voltage: 1 24 V AC/DC
- Switching current: 0,200 A
- Switch resistance "on": <20 Ω
- Switch resistance "off": >5 Ω
- Actuation force: 3-5N
- Make impulse time: 125-300 mSEC
- Operating and storage temp: -40 °C to 125 °C

60747 SINGLE PIEZOELECTRIC PUSH BUTTON



WATER EFFECT TIMER

- Voltage: 220 V AC 50 Hz.
- Maximum relay current: 50 Hz 12 A.
- Contact type NC/NA.
- LED voltage outlet: red and green, independently.
- Timer dimensions 52 x 90 x 80 mm
- Times available: 1,2,3,4,5,6,7,8,10,12,15,20,25 and 30 minutes.
- LED indications:
- LEDs off = no voltage.
- Permanent green LED: relay circuit activated.
- Permanent red LED: relay circuit deactivated.
- Flashing green LED: 10 seconds to shut off.

Regulations:


- Directive 2014/35/EU, on electrical equipment designed for use within certain voltage limits
- Directive 2014/30/EU, on electromagnetic compatibility
- Directive 2011/65/EU, on the restriction of the use of certain hazardous substances in electrical and electronic equipment
- Directive 2009/125/EC on the framework for setting ecodesign requirements for energy-related products







Stainless steel Spas


WATERZONE











ZEUS SPA	APOLO 6 SPA
71474	71475

3,48 x 1,51 x 0,94 m	2,24 x 1,62 x 0,98 m	2,88 x 1,62 x 0,98 m	3,52 x 1,62 x 0,98 m
4,21 x 2,10 x 1,04 m	2,84 x 2,21 x 1,18 m	3,47 x 2,21 x 1,18 m	4,11 x 2,21 x 1,18 m
7 (5 / 2)	6(6/-)	8 (8 / -)	10 (10 / -)
2,65 m ³	2,40 m ³	3,20 m ³	4,00 m ³
650 / 3300 kg	550 / 2950 kg	700 / 3900 kg	720 / 4720 kg


25	34	40	56				
62	16	24	24				
Overflow	Overflow	Overflow	Overflow				
6	6	6	8				
3	2	4	4				
1	1	1	1				
1	1	2	2				
On request	No	No	No				
2	2	2	4				
3	2	2	2				
,							
Yes	Optional	Optional	Optional				
Optional	Optional	Optional	Optional				
Optional	Optional	Optional	Optional				
On request	16412	43639	43639				
Yes	Yes	Yes	Yes				

25	34	40	56
62	16	24	24
Overflow	Overflow	Overflow	Overflow
6	6	6	8
3	2	4	4
1	1	1	1
1	1	2	2
On request	No	No	No
2	2	2	4
3	2	2	2
I			1
Yes	Optional	Optional	Optional
Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional
'			
On request	16412	43639	43639
Yes	Yes	Yes	Yes

25	34	40	56
62	16	24	24
Overflow	Overflow	Overflow	Overflow
6	6	6	8
3	2	4	4
1	1	1	1
1	1	2	2
On request	No	No	No
2	2	2	4
3	2	2	2
Yes	Optional	Optional	Optional
Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional
	·	·	·
On request	16412	43639	43639
Yes	Yes	Yes	Yes

MODEL	VULCANO SPA	MERCURIO SPA	VENUS SPA	NEPTUNO SPA
CODES	71469	71470	71471	71473
GENERAL SPECIFICATIONS				
Internal dimensions	Ø1,73 x 0,81 m	2,10 x 1,70 x 0,80 m	1,68 x 1,53 x 0,70 m	1,86 x 1,61 x 0,90 m
External dimensions	Ø2,30 x 0,90 m	2,70 x 2,30 x 0,90 m	2,11 x 2,11 x 0,90 m	2,54 x 2,20 x 1,00 m
Positions (seats /loungers)	6 (6 / -)	4 (2 / 2)	4 (2 / 2)	5 (5 / -)
Water capacity	1,5 m ³	2 m ³	1,23 m ³	1,2 m ³
Empty weight / Full Weight	400 - 1900 kg	900 - 2900 kg	325 - 1560 kg	400 / 1600 kg
CHARACTERISTICS	÷	·	·	·
Num. Massage Jets (water)	12	12	20	23
Num. Nozzles (air)	18	32	16	20
Overflow / Skimmer	Overflow	Overflow	Overflow	Overflow
Overflow aspiration	4	4	8	6
Return inlet	2	2	1	2
Pool floor inlet	1	1	No	1
Main drain	1	1	1	1
Headrests	No	Yes	Yes	No
LED Lights	3	2	4	3
Piezoelectronic push button	2	2	2	2
OPTIONS (NOT INCLUDED)		÷	·	·
Stainless steel Overflow grill	Optional	Optional	Optional	Optional
Wood Overflow grill	Optional	Optional	Optional	Optional
Cover	Optional	Optional	Optional	Optional
RECOMMENDED EXT. EQUIPMENT				
Compact flitration kit	05135	05135	05135	16412
Compensation tank	Yes	Yes	Yes	Yes

		0	_				0		~
		•	•		-	•			
Цľ	5	_	0		_	•	۰	_ (L
I IN		×		×				Ĭ/	
•									٩ ا
ΗШ									╟
	/	:	:				-		
	_	-	-	~	-	-	-		
ν	_	0	_	_		_	0		-



APOLO 8 SPA	APOLO 10 SPA
71476	71477

Stainless steel Spas

Optional Kits for spas

MODEL	KIT 50	KIT 75	KIT 75 2M	KIT 75 3M
CODE	04015	05135	16412	43639
GENERAL SPECIFICATIONS		1		
Filter	Ø 500	Ø 650	Ø 650	Ø 650
Filtration pump	0,60 Kw	0,82 Kw	0,82 Kw	0,82 Kw
Massage pump (P1)	1,4 Kw	1,4 Kw	2 x 1,81 Kw	2 x 1,81 Kw + 2,7 Kw
Blower pump	1,3 Kw	1,3 Kw	1,3 Kw	1,3 Kw
Electric heat	6 Kw	6 Kw	6 Kw	6 Kw
Ozonator	Optional	Optional	Optional	Yes
Dosific. auto + pH y Cl. control	Optional	Optional	-	-
Water-water exchanger 20 kW	Optional	Optional	Optional	Optional
Push buttons / Control	Piezoelectric	Piezoelectric	Piezoelectric	Piezoelectric
Required power Low AMP (W)	9,362 W	9,582 W	11,802 W	14,485 W
Required power (A)	18,1 A	19,2 A	23 A	27,5 A
Voltage	400 V III + N			

Grills and optional accessories



MODEL	PLASTIC GRILL	STAINLESS STEEL GRILL	WOODEN GRILL	IPE WOODEN GRILL
CODE	05581 - 05582	32415 - 32416	On request	On request



MODEL	CASCADE	PROJECTOR	HYDROMASSAGE BENCH	HYDROMASSAGE BED	COVERS
CODE	20130	52242	71498	71497	-











Acrylic Spas

WATER ZONE











ASTRALPOOL 5	ASTRALPOOL 6
-	-

235 x 275	Ø 230	
6 (5 / 1)	5 (5 / -)	
2300 l	960 l	
300kg	300kg	
2.600 kg	1.260kg	
White Marble	White Marble	

30	18	
Optional	Optional	
Inox	Inox	
-	-	
-	-	
Optional	Optional	
Optional	Optional	
Yes	Yes	
Optional	Optional	
2	2	
Kit 2	Kit 1	

1.000 l.	1.000 l.	
16412	16412	
Ø 600	Ø 500	
0,3 Kw	0,2 Kw	
2 x 2 Kw	2 Kw	
1,1 Kw	1,1 Kw	
6 Kw	6 Kw	
Optional	Optional	
Optional	Optional	
Piezoelectronics	Piezoelectronics	
11.45 kW	9.35 W	
23 A	23 A	
400 V III + N	400 V III + N	

MODEL	ASTRALPOOL 1	ASTRALPOOL 2	ASTRALPOOL 3	ASTRALPOOL 4
CODES	45709	75546	40769	53990
GENERAL SPECIFICATIONS	·	·	·	·
Dimensions (± 1cm)	210 x 160	200 x 200	200 x 200	220 x 220
Positions (seats /loungers)	3 (1 / 2)	5 (4 / 1)	5 (3 / 2)	5 (3 / 2)
Water capacity	720	1.000 l	1.000 l	1.400 l
Empty weight	250 kg	290 kg	290 kg	400 kg
Full Weight	970 kg	1.290 kg	1.290 kg	1.800 kg
Color external finishes	White Marble / White Pearl scent / Pearl Shadow / Blue Marble	White Marble / White Pearl scent / Pearl Shadow / Blue Marble	White Marble / White Pearl scent / Pearl Shadow / Blue Marble	White Marble / White Pearl scent / Pearl Shadow / Blue Marble
CHARACTERISTICS				
Massage Jets	27	29	27	45
Air injectors	Optional	Optional	Optional	Optional
Color jets	Inox	Inox	Inox	Inox
Headrests	-	-	-	-
Cascade	-	-	-	-
Projector	Optional	Optional	Optional	Optional
Chromotherapy LED lights	Yes 12 LED	Yes 12 LED	Yes 12 LED	Yes 16 LED
Galvanized metal structure	Yes	Yes	Yes	Yes
lsothermal cover	Yes	Yes	Yes	Yes
Piezoelectronic push buttons	-	-	-	-
Compact Kit				
COMPENSATION TANK				
Compensation tank	-	-	-	-
SPA FILTRATION EQUIPMENT				
Filter				
Filtration pump				
Massage pump (P1)	1,5 Kw	2,2 Kw	2.2 Kw	2 x 1,5kW
Blower pump	Optional	Optional	Optional	Optional
Electric heat	2Kw	2Kw	2Kw	3Kw
Ozonator	Optional	Optional	Optional	Optional
Water-water exchanger 20 kW	Optional	Optional	Optional	Optional
Push buttons / Control	Control panel	Control panel	Control panel	Control panel
Required power Low AMP (W)				
Required power (A)	1 x 16A 220-240V/50Hz	1 x 16A 220-240V/50Hz	1 x 16A 220-240V/50Hz	1 x 32A or 3 x 16A 220-240V/50H
Voltage	220 V	220 V	220 V	220 V




ASTRALPOOL 7

-

320 x 220
12(12 / -)
2.800 1
500 kg
3.300 kg
White Marble

105
Optional
Inox
-
-
Optional
Yes LED
Yes
Yes
2











White Marble



64-Pearl Shadow



Nordic Bath

WOODEN BATH

The baths are crafted in the finest red cedar (grade 2, 40 mm thick) for maximum durability. They are available in different diameters (150 cm to 220 cm) to accommodate 2 to 8 people (not including filtering equipment).

CODE	DESCRIPTION	SEATS
74095	Wooden nordic bath 150cm	2/3 people
74096	Wooden nordic bath 160cm	3/4 people
74109	Wooden nordic bath 180cm	5/6 people
74110	Wooden nordic bath 200cm	6/7 people
74111	Wooden nordic bath 220cm	7/8 people

STAINLESS STEEL BATH

The baths are crafted in the finest red cedar (grade 2, 40 mm thick) for maximum durability. They are available in different diameters (150 cm to 220 cm) to accommodate 2 to 8 people (not including filtering equipment).

CODE	DESCRIPTION	SEATS
74112	Stainlees Steel nordic bath 150cm	2/3 people
74113	Stainlees Steel nordic bath 160cm	3/4 people
74114	Stainlees Steel nordic bath 180cm	5/6 people
74115	Stainlees Steel nordic bath 200cm	6/7 people
74116	Stainlees Steel nordic bath 220cm	7/8 people

WATER TREATAMENT FOR NORDIC BATH

AstralPool's Nordic baths offer a unique filtration and treatment technology that guarantees bacteria-free water.

- Ultra-fine 1-micron filtration captures 100% of particles.

– Pump powerful enough to completely renew water every 6 minutes.

- Ultraviolet radiation treatment together with an ozone treatment effectively eliminates bacteria.

- The OZONE CHOC® treatment cleans the biofilms and removes the bacteria inside the bath (international patent EP2785648)

– Water quality measurement and management are handled by an integrated computer (ORP reader, pH, T $^\circ$ C).

CODE	DESCRIPTION	PUMP	OZONE GENERATOR	UV	HEATER	PH/ORP MANAGEMENT	SMARTPHONE APP
74117	Water treatment nordic bath standard	550w	1 lamp	1 lamp	3kw	-	-
74118	Water treatment nordic bath PRO	550w	2 lamps	1 lamp	3kw	Yes	-
74119	Water treatment nordic bath PRO+	750w with integrated heater 1,5wh	3 lamps	1 lamp	3kw + 3 kw	Yes	Yes



Technical Characteristics

Chrysalis RELAX ZONE

384

385



Coated relax loungers


RELAX ZONE

CLASSIC LOUNGER

The Lounger kit assembly contains:

- Top of the lounger.
- Base of the lounger.
- Installation auxiliary material: Adhesive fiberglass tape 10 cm x 45 m (1 unit), mortar joint treatment MALLOR MJ-73 5 kg (1 un.), and MALLOR AR-99 Reactive Adhesive 6 kg (1 un.)

67749	CLASSIC LOUNGER WITH STRAIGHT-EDGED BASE WITHOUT HEATING SHEET
67750	CLASSIC LOUNGER WITH STRAIGHT-EDGED BASE WITH HEATING SHEET
67751	CLASSIC LOUNGER WITH ROUNDED-EDGED BASE WITHOUT HEATING SHEET
67753	CLASSIC LOUNGER WITH ROUNDED-EDGED BASE WITH HEATING SHEET



Area to be tiled:

- Lounger base with Straight/Rounded edges: 1.5 m2
- Lounger (top component): 2.5 m2 (the area just above the base that cannot be seen does not need tiling)

RETRO LOUNGER

67754 RETRO LOUNGER WITHOUT HEATING

The Lounger Kit Assembly contains:

- Base of the lounger.
- Top of the lounger.
- Installation auxiliary material: Adhesive fiberglass tape 10cm x
 45m (1 unit), mortar joint treatment MJ-73 5 kg (1 un.), and AR-99
 Reactive Adhesive 6 kg (1 un.)..

67755 RETRO LOUNGER WITH ELECTRICAL HEATING

The Lounger Kit Assembly contains:

- Top of the lounger with heating sheet integrated of 220 W/m2..
- Base of the lounger.


Installation auxiliary material: Adhesive fiberglass tape 10 cm x 45 m (1 unit), mortar joint treatment MJ-73 5 kg (1 un.), and AR-99 Reactive Adhesive 6 kg (1 un.)

- 220V to 24V Transformer, to be located in separate room, to wet zone can only pass 24V.
- Thermostat and temperature probe

Technical specifications

- Core: high density rigid expanded polystyrene core
- (EPS), CFC and HCFC free and fire retardant additive incorporated, in accordance with EN 13163.

Lounger installation kit included



LUXOR LOUNGER

67756 LUXOR LOUNGER WITHOUT HEATING

The Lounger Kit Assembly contains:


– Lounger Pool

Installation auxiliary material: Adhesive fiberglass tape 10 cm x 45 m
 (1 unit), mortar joint treatment MJ-73 5 kg (1 un.), mortar IMPER 2K 8 kg (1 un.) and AR-99 Reactive Adhesive 6 kg (1 un.).

Area to be tiled: 2,95 m²

- Lounger base with Straight/Rounded edges: 1.5 m2
- Oval base: 1.3 m2
- Lounger (top component): 2.4 m2 (the area just above the base that cannot be seen does not need tiling)

DIMENSIONS



* Lounger supplied without tiles.


ZEN LOUNGER

71963 ZEN LOUNGER WITHOUT HEATING

The Lounger Kit Assembly contains:

- Lounger Zen
- Assembly Accessories Kit N.6 (code 72042) included:
- 1 un. cod. 71626 Joint Mortar MJ-73 (5 kg),
- 1 un. cod. CINTA1010 Adhesive Fiberglass Tape (10 cm x 45 m),
- 2 un. cod. 71933 Polymer Adhesive (290 ml)

DIMENSIONS



67757 LUXOR LOUNGER WITH ELECTRICAL HEATING


The Lounger Kit Assembly contains:

- Lounger Pool with heating sheet integrated of 220 W/m2.
- Installation auxiliary material: Adhesive fiberglass tape 10 cm x 45 m (1 unit), mortar joint treatment MJ-73 5 kg (1 un.), mortar IMPER 2K 8 kg (1 un.) and AR-99 Reactive Adhesive 6 kg (1 un.).
- 220V to 24V Transformer, to be located in separate room, to wet zone can only pass 24V.

71964 ZEN LOUNGER WITH ELECTRICAL HEATING

The Lounger Kit Assembly contains:

- Lounger Zen with heating sheet integrated of 220 W/m2.
- Assembly Accessories Kit N.6 (code 72042) included:
- 1 un. cod. 71626 Joint Mortar MJ-73 (5 kg),
- 1 un. cod. CINTA1010 Adhesive Fiberglass Tape (10 cm x 45 m),
- 2 un. cod. 71933 Polymer Adhesive (290 ml)
- 220V to 24V Transformer, to be located in separate room, to wet zone can only pass 24V.




Relax Loungers

RELAX ZONE

SPÆCIAL RELAX LOUNGER

- Completely manufactured in scandinavian spruce.
- Specially designed for humidity areas.
- Not recommended for outdoor use.
- Available in a wide variety of colors.

44421	SPÆCIAL RELAX LOUNGER
44422	MATTRESS FOR SPÆCIAL RELAX LOUNGER




AQUA LOUNGER


ON REQUEST

AQUA LOUNGER

CALM CHAIR








 Π.	
н.	
н.	
11	
11	
11	
H.	
11	
Ш.	

CALM LOUNGER

73902 CALM LOUNGE - RELAX DECKCHAIR WITH INFRARED LAMPS





MATERIALS

Sides: Made in birch plywood board with phenolic resin sheets for external protection (depending on the model) **Boards:** Made in Iroko.

Levelling feet: AISI 304 stainless steel rod. Plastic support Neck pad (optional): fireproof Polyskin - M2 category. Lamp: Lampholder fixed on 3mm HPL structure with 3mm tempered glass protector

CHARACTERISTICS

Dimensions (mm): 1205 x 637 x 1298 Power (kw): 0 / 0,4 Models: - Without lamp - 4 infrared lamps.

ELECTRIC SYSTEMS

Infrared lamp:

- Model: PAR 38 IR Red
- Power: 100 W
- Useful life: 5000 h

Control pannel: Switch or timing switch

Connection: 230 V I + Neutro

MATERIALS

Sides: Made in birch plywood board with phenolic resin sheets for external protection (depending on the model) **Boards:** Made in Iroko.

Levelling feet: AISI 304 stainless steel rod. Plastic support Neck pad (optional): fireproof Polyskin - M2 category. Lamp: Lampholder fixed on 3mm HPL structure with 3mm tempered glass protector

CHARACTERISTICS

Dimensions (mm): 683 x 619 x 1877 Power (kw): 0 / 0,4 Models: - Without lamp - 4 infrared lamps.

ELECTRIC SYSTEMS

Infrared lamp:

– Model: PAR 38 IR Red


- Power: 100 W
- Useful life: 5000 h


Control pannel: Switch or timing switch **Connection:** 230 V I + Neutro

Relax Loungers

RELAX ZONE

ELNA LOUNGER





MATERIALS

Lounger: Solid surface of 12 mm thick. Heating system: Thermal blanket made of 2 layers of 50g/m2 perforated polyester fabric and a PETG protective layer on both sides. Internal insulation: 10 mm thick construction panel.

Levelling feet: AISI 304 stainless steel rod. Plastic support. Neck pad: fireproof Polyskin - M2 category.

CHARACTERISTICS


Dimensions (mm): 650 x 560 x 1865 Power (kw): 0,29

ELECTRIC SYSTEMS

Thermal blanket:

- Connection: 24V. – Power 250 W - 285 W / m2. Control panel: Digital thermostat with temperature control (max: 40 °C).

Connection: 230 V I + Neutro





VEGA / VEGA WET LOUNGER – SKAY SPECIAL FINISHES




VEGA LOUNGER – STRUCTURE

VEGA / VEGA WET LOUNGER

N9225 VEGA - F	RELAX LOUNGER
----------------	---------------

N9226 VEGA WET - RELAX LOUNGER



VEGA

- Wooden structure
- Harmonious and ergonomic design and curved shapes
- Fire-resistant "soft-touch" polyurethane upholstery.

VEGA WET

- Metal structure painted in white or other RAL colors (see below)
- Suitable for wet zones
- Harmonious and ergonomic design and curved shapes
- Standard upholstery: "Fire resistant soft-touch" polyurethane.
- Optional upholstery: waterproof (see below)



*If the table is placed near a swimming pool or sauna, we recommend the Wet Relax Lounger version (with metal frame and waterproof upholstery)

VEGA WET LOUNGER - OPTIONAL WATER-RESISTANT UPHOLSTERY



VEGA WET LOUNGER – STRUCTURE







Technical Characteristics

Dafne TREATMENT ZONE

393

Treatment Shower

TREATMENT ZONE

KNEIPP SHOWER


CODE	DESCRIPTION	CONSUMPTION 3 BAR (L/M)	DIMENSIONS (MM)	MATERIAL	PUSH BUTTON AND TIMER
73904	Kneipp Shower	20 - 30	600 x 748 x 172	Stainless steel 316	45219 + 35761


and

þ

þ


þ






1- Shut-off valve for upper sprinkler (Optional)









- 5- Cold/Hot water selector
- 6- Shut-off valve for the different hoses


VICHY SHOWER


CODE	DESCRIPTION	CONSUMP- TION 3 BAR (L/M)	POWER (KW)	DIMENSIONS HYDRAULIC EQUIPMENT (MM)	DIMENSIONS ELECTRIC EQUIPMENT (MM)	CONTROL PANNEL	CONNECTION
73905	Vichy Shower Articulated arm	20 - 30	0.1	420 x 420 x 210	290 x 230 x 90	Touch screen LCD	230 V + I + Neutro + ground
73906	Vichy Shower Fixed arm	20 - 30	0.1	420 x 420 x 210	290 x 230 x 90	Touch screen LCD	230 V + I + Neutro + ground

L.











Halotherapy systems

TREATMENT ZONE

HIMALAYA CUBE

CODE	DESCRIPTION	SIZE (lenght x width x height)(cm)	WEIGHT (kg)	POWER (kw)	CONNECTION
73907	Himalaya Cube	84 x 64 x 79,4	200	0,3	230 V - 50/60 Hz





SANAMA SALT CABIN

				CABIN PANELS												
CODE MODEL	MODEL	MODEL DIMENSIONS	Hemlock	Nordic		Thermo Aspen/	Assas / Deal		Bench	OPTIONALS						
		Plywood S	Spruce Pine	Pine		Cedar	Magnolia	Wood	CODE	DESCRIPTION						
65400S	Sanama Salt Cabin	150x150x210	_							70444	Salt decorative elements set					
65401S	Sanama Salt Cabin	150x218x210		C	C	C	C	Chandrad						Thermo	70447	External wood trim wall
65402S	Sanama Salt Cabin	218x218x210	Standard	N/A	N/A N/A	N/A	J/A N/A	N/A	N/A Aspen	/044/	External wood trim wall					
65403S	Sanama Salt Cabin	286x318x210	-							70457	RGB chromotherapy remote control kit					

SALT WALL

CODE	DESCRIPTION	SIZE	LIGHTING
73881	Backlit salt wall	On request /m²	LED 12 V White

SALT DIFFUSER

CODE	DESCRIPTION	CABIN MAXIMUM SIZE (m)	SIZE (mm)	DOSAGE MAXIMUM EFFICIENCY	ELECTRIC CONNECTION	ELECTRIC CONSUM.
73882	Salt nebulizer for inhalation for sauna or dry environment.	35	580 x 630 x 25	3.3 l/h in continuous operation	230v / 50HZ	400w

Components:

- Peristaltic pump
- Piston compressor
- Control unit
- Spray nozzle
- Illuminated switch
- Includes a 5L can installed on the structure and a spare 5L can.

Included elements:

- Pannel control with LED screen.
- Hours schedule programming.
- Aroma diffuser.
- Button for selection.
- Electronic control of temperature.
- Integrated MP3 player with SD electronic card. Synchronisation with chromotherapy.
- High power LED chromotherapy.
- Chromotherapy synchronisation with ISO equipment.
- Packaging.

Optionals

- 90118 Air extractor.

	Included elements:
-	– Mineral salt brick from Asia 200x100x25.

- Transparent laminated glass 5 + 5.

e strip

- LED lighting with profile and diffuser.

- 12V power supply.

Portable massage tables

T R E A T M E N T Z O N E

CONFORTFLEX

	AFCFLEX3/B	AFCFLEX3/L		
Height adjustment:	26" - 32" (66cm 81cm)			
Weigth:	16	kgs		
Dimensions:	Unfolded: L: 73" (18	5cm), W: 27" (68cm)		
Materials:	Wooden frame with 2.5 "Therafoam padding, PU vinyl.			
Working weight:	450lbs (205kgs) impact			
Warranty	2 years			
Cradle / Towel support	Both end			
Armrest	Included			
Headrest	Inclu	ıded		
Case	Included			
Color	BEIGE CAFÉLATTE			
Shipping measures (approx)	L95cm x W23cm x H85cm. Gross weight: 25kg.			

Features

- Comfortable Therafoam padding
- Soft-touch PU upholstery
- Raisable backrest
- European beech wood frame
- Affinity ergonomic breathing hole and plug
- Easy grip thumbscrews for easy height adjustment
- Reiki panels
- Quick set-up
- Generous height adjustment
- Includes bag with wheels for transport
- Holes on each end to hold the paper towel/ head
- Soft touch carrying handle
- Rounded corners
- Anti-slip feet
- Excellent stability
- Quality construction

DELUXE


	ADLX2/B	ADLX2/P				
Height adjustment:	26" - 32" (66cm 81cm)					
Weigth:	16	16kgs				
Dimensions:	Unfolded: L: 73" (185cm), W: 27" (68cm) Folded: L36.5" (92,7cm), H27" (68cm), D9.4" (24cm)					
Materials:	Wooden frame with 2.5 "Therafoam padding, PU vinyl.					
Working weight:	450lbs (205kgs) impact					
Warranty	2 years					
Cradle / Towel support	Both end					
Armrest	Inclu	ıded				
Headrest	Included					
Case	Included					
Color	BEIGE PURPLE					
Shipping measures (approx)	L95cm x W26cm x H84cm. Gross weight: 23.5kg.					

Features

- Comfortable Therafoam padding
- Soft-touch PU upholstery
- Super-comfortable
- European beech wood frame
- Easy grip thumbscrews for easy height adjustment
- Reiki panels
- Quick set-up
- Generous height adjustment
- Includes bag with wheels for transport
- Holes on each end to hold the paper towel/ head
- Soft touch carrying handle
- Rounded corners
- Anti-slip feet
- Excellent stability
- Quality construction

MARLIN

	ADLX2/B	ADLX2/			
Height adjustment:	32.5" (62c	32.5" (62cm 82.5cm)			
Weigth:	25" - 14,4kg 28" - 16,5kg				
Dimensions:	Length 73" (185cm), Anchi 25" (63cm)/ Width 28'				
Materials:	Aluminum frame and base with 2 "semi firm, pa Therafoam, PVC vinyl ".				
Working weight:	450lbs (205kg/32 impact)				
Warranty	2 years				
Cradle / Towel support	Both end				
Armrest		-			
Headrest		-			
Case	Included				
Color	WHITE	NAVY			
Shipping measures (approx)	25″ L96cm x W23cm x H7 28″ L96cm x W24cm x H7				



2/P

Features

- Exceptionally comfortable
- Raisable backrest
- Therafoam Sports Padding
- Easy transport
- Excellent stability
- Clean lines
- Reiki panels
- Quick set-up
- Generous height adjustment
- Affinity ergonomic breathing hole and plug
- The UK's favorite
- Includes bag with wheels for transport
- Holes on each end to hold the paper towel/ head
- Anti-slip feet
- Soft touch carrying handle
- Quality construction
- Solid aluminum frame



Treatment beds

TREATMENT ZONE

CODE	DESCRIPTION	MEASURES	NUM. MOTORS	BASE COLOR		OPTIONALS	
N8536	EARTH	73 x 189 x 75	-	BICOLOR	Paper clip	Manual Control	
N9030	GENUINE	76 x 188 x 56/76	1 (heigth)	WHITE	Paper clip	Memory foam option	Thermic
N90011	WELL	75 x 202 x 64/84	3	WOOD WHITE WENGÈ	Paper clip		
N90011T	WELL THERMIC	75 x 202 x 64/84	3				
N9032	SENSE	78,5 x 189 x 54/74	4			Memory foam option	
N9032T	SENSE THEMRIC	78,5 x 189 x 54/74	4			Memory foam option	Armrest
N83961	LAKE	76 x 202 x 62/82	4	WOOD WHITE WENGÈ	Paper clip		
N8396T	LAKE THERMIC	76 x 202 x 62/82	4			Natural Oak	
N9287	DAPHNE	82 x 200 x 65/90	4	WHITE OLD WOOD NATURAL WALNUT		Memory foam option	
N9287T	DAPFHNE THERMIC	82 x 200 x 65/90	3			Memory foam option	Thermic
N90371	APOLO	78,5 x 189 x 62/82	4	WENGÈ NEW GREY	Paper clip		Thermic
N90291	OCEAN	74 x 200 x 57/88	3	WOOD WHITE WHITE		Memory foam option	
N9029T	OCEAN THERMIC	74 x 200 x 57/88	3				
N8951	NATURA	81 x 202 x 70	-	REAL TEAK WOOD			
N9020	AQUA	92 x 219 x 61/81	1	White metal			
N9022	VENUS	92 x 219 x 58/84	1	WOOD WHITE	Traditional mattress in PU	Quartz sand	
N9024	HIMALAYAN	92 x 219 x 58/84	1	WOOD WHITE	Traditional mattress in PU		
N8355	AYURVEDIC	85 x 186 x 68/83	-	ESPRESSO			

SKAY STANDARD FINISHES



SKAY SPECIAL FINISHES



OPTIONAL AYURVEDIC ACCESSORIES

CODE	DESCRIPTION	
73764	AYURVEDA MASSAGE STONE	
N91431	AYURVEDA CUPRUM RAME 2.0	
N8360	AYURVEDA STEM	
N8358	AYURVEDA ROLL SMALL	60
N8356	AYURVEDA SHIRODARA	
N8354	AYURVEDA SMALL OIL WARMER	
N5610	AYURVEDA STONE HEATER	
N8361	AYURVEDA TRAY WTONG	









FLUIDRA

Avda. Francesc Macià, 60 - Planta 20 08208 Sabadell (Barcelona) - Spain Tel. : +34 93 724 39 00

www.astralpool.com